

**CENTRAL INTELLIGENCE AGENCY  
INFORMATION REPORT**

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

25X1

**SECRET**

COUNTRY	<b>East Germany</b>	REPORT	
SUBJECT	<b>1956 Metallurgical Products Requirements Plan of the Main Administration for Shipbuilding</b>	DATE DISTR.	<b>23 September 1955</b>
		NO. OF PAGES	<b>35</b> 25X1
DATE OF INFO.		REQUIREMENT NO.	<b>RD</b>
PLACE ACQUIRED		REFERENCES	25X1
DATE ACQUIRED			

This is UNEVALUATED Information

THE SOURCE EVALUATIONS IN THIS REPORT ARE DEFINITIVE.  
THE APPRAISAL OF CONTENT IS TENTATIVE.  
(FOR KEY SEE REVERSE)

25X1

The annexed table shows the 1956 Material Requirements Plan (Material-bedarfplan) for metallurgical products of the Main Administration for Shipbuilding of the East German Ministry for Heavy Machine Construction. The plan is in two parts: a) 1956 production of metallurgical products in East Germany, and b) imports - in 1956; 90 percent of imports are to come from the USSR and 10 percent from Czechoslovakia. All amounts are in metric tons.

25X1

**SECRET**

25X1

STATE	#	X	ARMY	#	X	NAVY	#	X	AIR	#	X	FBI		AEC		ORR	
-------	---	---	------	---	---	------	---	---	-----	---	---	-----	--	-----	--	-----	--

25X1

SECRET

25X1

25X1

- 2 -

1956 Requirements for East German Production of Metallurgical Products

Shipbuilding Plate (Schiffbleche) Plan Pos. No. 13 14 213	Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
5 x 1,200 x 6,000 M St 4 s	78.0	40.0	-	38.0	-
1,250 x 5,000 M St 4 s	124.0	9.0	46.0	36.0	33.0
6,000 M St 4 s	256.0	50.0	52.0	83.0	71.0
	458.0	99.0	98.0	157.0	104.0
7 x 1,000 x 6,000 M St 4 s	622.0	180.0	137.0	168.0	137.0
1,250 x 6,000 M St 4 s	543.0	154.0	144.0	116.0	129.0
	1,165.0	334.0	281.0	284.0	266.0
8 x 1,500 x 5,000 M St 4 s	340.0	64.0	106.0	89.0	81.0
6,000 M St 4 s	1,162.0	236.0	278.0	306.0	342.0
6,500 M St 4 s	2,888.0	824.0	651.0	693.0	720.0
7,000 M St 4 s	613.0	230.0	86.0	166.0	131.0
1,600 x 5,000 M St 4 s	99.0	-	52.0	21.0	26.0
6,000 M St 4 s	113.0	40.0	24.0	24.0	25.0
7,000 M St 4 s	1,300.0	477.0	294.0	299.0	230.0
1,800 x 5,000 M St 4 s	220.0	55.0	55.0	55.0	55.0
	6,735.0	1,926.0	1,546.0	1,653.0	1,610.0
9 x 1,300 x 5,000 M St 4 s	152.0	20.0	40.0	42.0	50.0
1,400 x 6,000 M St 4 s	131.0	64.0	22.0	20.0	25.0
1,500 x 5,000 M St 4 s	143.0	50.0	40.0	17.0	36.0
6,000 M St 4 s	474.0	100.0	111.0	115.0	148.0
7,000 M St 4 s	386.0	78.0	42.0	135.0	131.0
1,600 x 6,000 M St 4 s	89.0	24.0	20.0	20.0	25.0
1,800 x 5,000 M St 4 s	27.0	27.0	-	-	-
2,000 x 5,000 M St 4 s	216.0	72.0	20.0	62.0	62.0
1,250 x 6,500 M St 4 s	100.0	20.0	30.0	25.0	25.0
	1,718.0	455.0	325.0	436.0	502.0
10 x 1,200 x 6,000 M St 4 s	208.0	85.0	35.0	50.0	38.0
10 x 1,250 x 6,000 M St 4 s	175.0	48.0	43.0	42.0	42.0
1,300 x 6,000 M St 4 s	86.0	22.0	20.0	23.0	21.0
1,400 x 6,000 M St 4 s	152.0	40.0	35.0	34.0	43.0
7,000 M St 4 s	506.0	272.0	67.0	110.0	57.0
1,500 x 5,000 M St 4 s	6.0	2.0	2.0	2.0	-
6,000 M St 4 s	2,196.0	645.0	504.0	496.0	551.0
6,500 M St 4 s	70.0	18.0	17.0	18.0	17.0
1,000 x 6,500 M St 4 s	42.0	8.0	12.0	11.0	11.0
	3,441.0	1,140.0	735.0	786.0	780.0
11 x 1,200 x 6,000 M St 4	89.0	25.0	21.0	21.0	22.0
1,500 x 4,000 M St 4	165.0	60.0	50.0	15.0	40.0
6,000 M St 4	3.0	1.0	-	2.0	-
	257.0	86.0	71.0	38.0	62.0
12 x 1,200 x 6,000 M St 4	966.0	298.0	216.0	236.0	216.0
1,300 x 6,000 M St 4	109.0	81.0	-	-	28.0
1,400 x 7,000 M St 4	287.0	80.0	60.0	75.0	72.0
1,500 x 6,000 M St 4	556.0	124.0	138.0	131.0	163.0
1,600 x 6,500 M St 4	405.0	247.0	47.0	81.0	30.0
2,000 x 5,000 M St 4	209.0	60.0	45.0	52.0	52.0
6,000 M St 4	224.0	80.0	44.0	50.0	50.0
1,000 x 6,000 M St 4	29.0	5.0	9.0	8.0	7.0
	2,785.0	975.0	559.0	633.0	618.0

SECRET

25X1

SECRET

25X1

Shipbuilding Plate Plan Pos. No. 13 14 213	Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
14 x 1,250 x 6,500 M St 4	14.0	3.0	4.0	3.0	4.0
1,000 x 5,000 "	25.0	15.0	-	10.0	-
6,000 "	85.0	24.0	20.0	21.0	20.0
8,000 "	5.0	5.0	-	-	-
1,250 x 6,000 "	1.0	1.0	-	-	-
1,800 x 6,100 "	162.0	120.0	-	42.0	-
6,500 "	184.0	-	53.0	57.0	74.0
7,000 "	243.0	45.0	58.0	70.0	70.0
7,500 "	92.0	23.0	23.0	23.0	23.0
2,000 x 5,000 "	45.0	-	15.0	15.0	15.0
6,100 "	58.0	-	35.0	-	23.0
	914.0	236.0	208.0	241.0	229.0
15 x 1,000 x 4,000 "	40.0	12.0	12.0	6.0	10.0
4,200 "	42.0	21.0	-	21.0	-
6,000 "	15.0	10.0	-	5.0	-
1,200 x 6,000 "	52.0	32.0	-	-	20.0
1,500 x 6,000 "	107.0	28.0	27.0	26.0	26.0
2,000 x 5,000 "	92.0	46.0	-	23.0	23.0
6,000 "	164.0	36.0	56.0	36.0	36.0
1,250 x 6,500 "	20.0	4.0	6.0	5.0	5.0
	532.0	189.0	101.0	122.0	120.0
16 x 1,000 x 4,000 "	34.0	12.0	10.0	12.0	-
6,000 "	129.0	97.0	-	32.0	-
1,500 x 6,000 "	4.0	4.0	-	-	-
1,600 x 6,000 "	113.0	25.0	29.0	29.0	30.0
1,800 x 6,100 "	481.0	225.0	76.0	86.0	94.0
2,000 x 6,000 "	261.0	54.0	69.0	69.0	69.0
1,250 x 6,500 "	26.0	5.0	8.0	6.0	7.0
	1,048.0	422.0	192.0	234.0	200.0
18 x 1,000 x 4,000 "	3.0	-	-	3.0	-
6,000 "	40.0	12.0	10.0	10.0	8.0
1,500 x 6,000 "	108.0	32.0	29.0	24.0	23.0
2,000 x 6,000 "	98.0	20.0	25.0	26.0	27.0
7,000 "	212.0	40.0	50.0	61.0	61.0
	461.0	104.0	114.0	124.0	119.0
20 x 1,000 x 4,000 "	15.0	4.0	7.0	4.0	-
22 x 1,000 x 4,000 "	19.0	6.0	5.0	3.0	5.0
1,800 x 6,000 "	176.0	75.0	32.0	40.0	29.0
	195.0	81.0	37.0	43.0	34.0
24 x 1,000 x 4,000 "	3.0	-	3.0	-	-
25 x 1,000 x 6,000 "	126.0	38.0	26.0	33.0	29.0
6,500 "	71.0	25.0	20.0	8.0	18.0
1,500 x 6,000 "	89.0	28.0	30.0	7.0	24.0
2,000 x 5,000 "	137.0	44.0	23.0	34.0	34.0
6,000 "	20.0	5.0	5.0	5.0	5.0
	443.0	140.0	106.0	87.0	110.0
28 x 1,500 x 6,000 "	5.0	5.0	-	-	-

SECRET

25X1

SECRET

25X1

<u>Shipbuilding Plate</u> <u>Plan Pos. No. 13 14 213</u>	<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
30 x 1,000 x 3,000 M St 4	14.0	4.0	5.0	4.0	1.0
1,500 x 6,000 "	419.0	137.0	90.0	97.0	95.0
	435.0	141.0	95.0	101.0	96.0
32 x 2,000 x 5,000 "	17.0	3.0	8.0	3.0	3.0
35 x 1,000 x 4,000 "	17.0	6.0	5.0	3.0	3.0
2,000 x 6,000 "	40.0	20.0	-	20.0	-
	57.0	26.0	5.0	23.0	3.0
40 x 1,000 x 2,000 "	11.0	4.0	2.0	4.0	1.0
1,500 x 6,000 "	129.0	56.0	13.0	47.0	13.0
2,000 x 5,000 "	40.0	10.0	10.0	10.0	10.0
1,000 x 4,000 "	15.0	3.0	5.0	3.0	4.0
	195.0	73.0	30.0	64.0	28.0
45 x 1,000 x 2,000 "	11.0	4.0	4.0	-	3.0
1,500 x 6,000 "	5.0	5.0	-	-	-
	16.0	9.0	4.0	-	3.0
50 x 1,000 x 4,000 "	42.0	11.0	11.0	10.0	10.0
55 x 1,900 x 4,000 "	37.0	11.0	8.0	9.0	9.0
60 x 1,000 x 4,000 "	15.0	3.0	5.0	3.0	4.0
65 x 1,000 x 2,000 "	4.0	1.0	1.0	1.0	1.0
70 x 1,500 x 5,500 "	17.0	5.0	4.0	5.0	3.0
80 x 1,000 x 4,000 "	10.0	2.0	3.0	2.0	3.0
100 x 1,000 x 4,000 "	6.0	1.0	2.0	1.0	2.0
<b>Total Requirements for</b> <b>East German Production</b>	<b>21,024.0</b>	<b>6,482.0</b>	<b>4,559.0</b>	<b>5,064.0</b>	<b>4,919.0</b>

**Refined Bar Steel**  
**(Feiner Stabstahl)**  
**Plan Pos. No. 13 14 151**

**Round Steel (Rundstahl)**

8 mm. M ST 2 b	0.3	0.2	0.1	-	-
8 mm. " 3 s	13.83	3.91	3.2	3.56	3.16
8 mm. " 4 s	8.2	2.5	2.2	2.3	1.2
9 mm. " 3 s	0.3	0.2	-	0.1	-
9 mm. " 4 s	0.1	-	0.1	-	-
10 mm. " 2 b	0.2	0.1	0.1	-	-
10 mm. " 3 s	26.04	6.4	6.35	6.7	6.59
10 mm. " 4 s	31.2	9.2	7.8	6.8	7.4
10 mm. " 5	0.2	-	0.1	0.1	-
12 mm. " 2 b	0.2	0.1	0.1	-	-

SECRET

25X1

SECRET

25X1

Round Steel (Rundstahl), cent.	Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
12 mm. M ST 3 s	18.07	3.97	4.75	5.15	4.2
12 mm. " 4 s	32.3	9.55	8.3	8.69	5.8
12 mm. " 5 s	3.7	1.0	1.6	1.1	-
13 mm. " 3 s	0.23	0.98	0.08	0.07	-
13 mm. " 4 s	1.2	0.6	0.2	0.02	0.02
14 mm. " 3 s	1.33	0.63	0.24	0.32	0.14
14 mm. " 4 s	17.7	5.2	4.2	3.3	5.0
14 mm. " 6 s	0.02	0.02	-	-	-
15 mm. " 3 s	1.47	0.7	0.27	0.3	0.2
15 mm. " 4 s	8.25	2.15	2.1	2.0	2.0
15 mm. " 5 s	4.1	1.1	1.0	1.0	1.0
15 mm. " 6 s	0.25	0.25	-	-	-
15 mm. " 7 s	0.02	0.02	-	-	-
16 mm. " 2 b	1.6	0.5	0.3	0.5	0.3
16 mm. " 3 s	31.79	8.4	7.6	8.79	7.0
16 mm. " 4 s	57.5	18.0	13.15	14.1	12.25
16 mm. " 5 s	3.7	1.6	1.1	1.0	-
16 mm. " 6 s	0.1	-	0.1	-	-
17 mm. " 3 s	0.1	0.1	-	-	-
18 mm. " 3 s	2.91	0.86	0.76	0.75	0.54
18 mm. " 4 s	15.4 )	2.95 )	4.9 )	3.75 )	3.8
18 mm. " 4 s	3.0 )	1.0 )	1.0 )	1.0 )	-
18 mm. " 5 s	3.43	1.33	0.1	2.0	-
18 mm. " 6 s	0.15	0.15	-	-	-
19 mm. " 3 s	7.29	2.25	2.34	1.4	1.3
19 mm. " 4 s	2.8	0.9	0.8	0.4	0.7
20 mm. " 2 b	0.4	0.1	0.1	0.1	0.1
20 mm. " 3 s	13.9	4.37	1.55	5.5	2.48
20 mm. " 4 s	75.87	22.3	19.07	17.5	-
20 mm. " 5 s	12.02	2.52	4.0	2.0	3.5
20 mm. " 6 s	7.5	1.0	3.5	1.0	2.0
20 mm. " 7 s	0.02	0.02	-	-	-
22 mm. " 2 b	0.2	0.1	-	0.1	-
22 mm. " 3 s	6.61	1.57	1.34	1.37	2.33
22 mm. " 4 s	31.93 )	11.63 )	8.14	5.13	7.03
22 mm. " 4 s	1.0 )	1.0 )	-	-	-
22 mm. " 6 s	0.2	0.1	0.1	-	-
23 mm. " 4 s	0.1	0.1	-	-	-
24 mm. " 2 b	0.3	0.1	0.1	0.1	-
24 mm. " 3 s	2.43	0.65	0.58	0.65	0.55
24 mm. " 4 s	24.95	7.9	5.4	5.7	5.95
25 mm. " 2 b	0.1	0.1	-	-	-
25 mm. " 3 s	25.11	5.0	6.65	7.38	6.28
25 mm. " 4 s	67.98	20.45	15.58	17.75	14.2
25 mm. " 5 s	15.47	6.2	2.37	4.75	2.15
25 mm. " 6 s	4.5	1.0	1.5	1.0	1.0
26 mm. " 2 b	1.4	0.3	0.5	0.3	0.3
26 mm. " 3 s	0.35	0.25	-	0.10	-
26 mm. " 4 s	14.5	3.1	6.1	2.2	3.1
28 mm. " 3 s	4.65	1.09	0.59	0.59	1.38
28 mm. " 4 s	34.7	9.8	9.0	7.25	8.2
28 mm. " 5 s	3.0	-	2.0	-	1.0
30 mm. " 3 s	24.19	5.25	7.25	4.25	7.44
30 mm. " 4 s	100.22 )	33.70 )	22.62 )	22.80 )	21.10 )
30 mm. " 4 s	3.0 )	0.5 )	1.0 )	0.5 )	1.0 )
30 mm. " 5 s	24.03	8.02	4.67	6.77	4.57
30 mm. " 6 s	8.2	4.0	1.6	1.1	1.5

SECRET

25X1

SECRET

25X1

## Flat Steel (Flachstahl)

	<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
20 x 5 M St 3 s	4.89	1.7	1.4	1.5	0.29
20 x 5 " 4 s	8.5	2.3	4.0	1.2	1.0
20 x 6.5 " 3 s	4.0	0.35	1.2	1.35	1.1
20 x 6.5 " 4 s	6.4	2.1	2.1	1.1	1.1
20 x 8 " 3 s	4.09	1.3	1.3	1.3	0.19
20 x 8 " 4 s	6.0	2.0	2.0	1.0	1.0
20 x 10 " 3 s	5.32	1.02	1.1	1.1	2.1
20 x 12 " 3 s	0.43	0.105	0.115	0.105	0.105
25 x 5 " 3 s	7.76	2.42	2.02	2.22	1.10
25 x 5 " 4 s	7.5	2.1	1.1	3.3	1.0
25 x 6.5 " 3 s	5.71	1.2	1.16	1.2	2.15
25 x 6.5 " 4 s	8.0	2.0	2.0	2.0	2.0
25 x 8 " 3 s	8.83	1.79	3.04	2.0	2.0
25 x 10 " 3 s	5.04	1.02	1.0	1.02	2.0
25 x 10 " 4 s	6.6	1.6	1.6	1.7	1.7
25 x 12 " 3 s	3.0	1.0	1.0	1.0	-
25 x 15 " 3 s	0.02	0.02	-	-	-
25 x 15 " 6	1.6	0.5	0.3	0.4	0.4
30 x 5 " 3 s	17.1	3.84	4.6	4.53	4.13
30 x 5 " 4 s	23.3	8.9	4.05	7.1	3.25
30 x 6.5 " 5 s	9.39	1.88	2.18	2.18	3.15
30 x 6.5 " 4 s	23.6	9.9	5.7	3.5	4.5
30 x 8 " 3 s	6.49	2.39	1.35	1.4	1.35
30 x 8 " 4 s	11.5	3.35	2.8	2.8	2.55
30 x 10 " 3 s	7.345	2.245	2.4	1.5	1.2
30 x 10 " 4 s	8.36	2.03	2.3	2.03	2.0
30 x 12 " 3 s	5.31	1.11	1.1	1.05	2.05
30 x 12 " 4 s	8.3	2.0	2.3	2.0	2.0
30 x 12 " 3 s	3.18	0.06	1.04	1.04	1.04
30 x 15 " 4 s	3.9	1.5	0.9	0.9	0.6
30 x 20 " 4 s	10.25	3.25	2.0	3.0	2.0

## Angle Steel (Winkelstahl)

25 x 25 x 3 MSt 3 s	41.3	26.0	6.2	5.1	4.0
25 x 25 x 3 " 4 s	7.86	2.64	1.34	2.64	1.24
25 x 25 x 4 " 3 s	13.8	3.2	3.2	3.2	4.2
25 x 25 x 4 " 4 s	6.2	0.1	3.0	3.1	-
30 x 30 x 3 " 3 s	16.82	4.72	3.7	4.7	3.7
30 x 30 x 3 " 4 s	4.2	1.3	1.4	1.5	-
30 x 30 x 4 " 3 s	59.8	15.6	15.72	16.56	12.46
30 x 30 x 4 " 4 s	62.7	19.7	14.8	17.1	11.1
30 x 30 x 5 " 3 s	3.7	1.5	0.9	0.7	0.6
30 x 30 x 5 " 4 s	9.4	2.1	1.6	1.4	4.3

## Hexagonal Steel (Sechseckstahl)

SW 10	M St 4 s	0.4	0.1	0.1	0.1	0.1
" 12	" 4 s	0.6	0.2	0.1	0.2	0.1
" 14	" 3 s	0.1	0.1	-	-	-
" 14	" 4 s	3.8	1.2	1.2	1.0	-
" 17	" 3 s	0.1	0.1	-	-	-
" 17	" 4 s	8.5	2.35	1.70	1.80	2.20
" 19	" 3 s	0.1	0.1	-	-	-
" 19	" 4 s	8.2	2.3	1.8	1.8	2.3
" 22	" 3 s	0.1	0.1	-	-	-
" 22	" 4 s	2.25	0.6	0.55	0.6	0.5

SECRET

25X1

SECRET

25X1

Hexagonal Steel (Sechskantstahl)		Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
SW 24	M St 4 s	5.1	1.6	1.5	1.5	-
" 24	" 5	0.33	0.09	0.09	0.08	0.07
" 27	" 2 b	0.1	0.1	-	-	-
" 27	" 3 s	0.3	0.3	-	-	-
" 27	" 4 s	2.35	0.7	0.6	0.55	0.5
" 27	" 5	0.05	0.05	-	-	-
" 28	" 2 b	0.3	0.1	0.1	-	0.1
" 30	" 3 s	0.1	0.1	-	-	-
" 30	" 4 s	2.3	0.7	0.5	0.6	0.5
" 30	" 5	0.3	0.1	0.1	0.1	-

## Four-Sided Steel (Vierkantstahl)

8 mm.	M St 3 s	1.01	0.31	0.2	0.3	0.2
	4 s	0.1	0.1	-	-	-
	6 s	0.1	0.1	-	-	-
10 mm.	3 s	2.42	0.69	0.66	0.54	0.53
10 mm.	6	0.2	0.1	0.1	-	-
12 mm.	3 s	1.33	0.54	0.29	0.35	0.15
	4 s	2.0	0.8	0.2	0.3	0.7
	5	0.1	-	0.1	-	-
14 mm.	3 s	0.2	0.05	0.05	0.05	0.05
	4 s	0.3	0.15	-	0.15	-
15 mm.	3 s	0.04	0.02	0.02	-	-
	4 s	2.0	0.5	0.5	0.5	0.5
	6	0.1	0.1	-	-	-
18 mm.	3 s	0.3	0.1	0.1	0.1	-
	4 s	2.25	1.1	0.15	1.0	-
20 mm.	3 s	14.77	2.24	4.52	4.01	4.0
	4 s	10.45	3.2	2.25	3.0	2.0
20 mm.	6	1.2	0.4	0.3	0.3	0.2
22 mm.	3 s	0.02	0.01	-	0.01	-
	4 s	0.1	-	0.1	-	-
24 mm.	3 s	0.92	0.23	0.23	0.23	0.23
25 mm.	3 s	0.31	0.02	0.13	0.13	0.03
	4 s	6.1	1.6	1.5	1.5	1.5
	7	2.0	0.5	0.5	0.5	0.5
26 mm.	3 s	0.47	0.12	0.12	0.12	0.11
28 mm.	3 s	0.02	0.02	-	-	-
30 mm.	3 s	0.49	0.17	0.08	0.17	0.07
	4 s	13.0	2.8	3.75	2.65	3.8
	6	4.2	0.6	1.5	0.6	1.5
	7	2.0	0.5	0.5	0.5	0.5
Total requirements for East German production		1,376.94	411.50	340.91	331.29	293.23

Unrefined Bar Steel  
(Grober Stabstahl)  
Plan Pos. No. 13 14 152

Equal-sided angle steel  
(Gleichschenkelwinkelstahl)

35 x 35 x 4 M ST	4 s	17.0	5.0	2.0	5.0	5.0
	5	2.45	0.4	0.85	0.6	0.6
	5	6.0	4.0	0.7	0.7	0.6
40 x 40 x 4	3 s	4.6	1.3	1.0	1.5	0.8

SECRET

25X1

SECRET

25X1

Equal-sided angle steel, cont. (Gleichschenkelwinkelstahl)			Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
40 x 40 x 4 M ST	4 s		116.78	33.4	29.18	27.7	26.5
	5	3 s	26.23	7.1	7.53	6.1	5.5
	5	4 s	51.6	14.8	13.0	9.7	14.1
45 x 45 x 5	4 s		34.1	11.7	10.1	6.2	6.1
50 x 50 x 5	3 s		59.55	14.3	17.75	13.8	13.7
	5	4 s	155.93	43.7	42.43	37.7	32.1
	6	3 s	16.2	4.6	4.6	3.5	3.5
	6	4 s	44.73	11.1	11.23	9.8	12.6
60 x 60 x 6	3 s		281.7	14.2	63.7	102.9	100.9
	6	4 s	427.3	144.4	93.9	106.4	82.6
	8	3 s	21.53	6.65	6.38	6.5	2.0
	8	4 s	243.33	62.6	64.33	64.8	51.6
70 x 70 x 7	3 s		18.2	5.4	3.7	5.3	3.8
	7	4 s	369.5	107.8	98.3	78.1	85.3
	9	4 s	29.9	12.2	5.5	5.2	7.0
80 x 80 x 8	3 s		1.25	0.25	0.5	0.25	0.25
	8	4 s	161.6	42.7	46.4	43.0	29.5
	10	3 s	0.1	0.1	-	0	-
	10	4 s	26.9	10.6	3.4	10.7	2.2
90 x 90 x 9	4 s		14.0	5.0	2.0	2.0	5.0
	11	4 s	18.0	6.0	4.0	4.0	4.0
100 x 100 x 10	3 s		2.0	0.5	0.5	0.5	0.5
	10	4 s	84.9	26.1	17.0	19.3	22.5
	12	4 s	6.0	1.6	1.5	1.5	1.4
110 x 110 x 10	4 s		6.6	3.2	0.1	3.2	0.1
120 x 120 x 11	3 s		0.8	0.2	0.2	0.2	0.2
	11	4 s	10.0	3.0	2.0	3.0	2.0
	13	4 s	21.3	6.0	5.3	7.0	3.0
150 x 150 x 14	4 s		44.0	11.0	10.0	13.0	10.0
	16	4 s	12.0	3.0	3.0	3.0	3.0
	18	4 s	28.0	6.0	8.0	6.0	8.0

Non-equal-sided angle steel  
(Ungleichschenkelwinkelstahl)

40 x 20 x 4 M St	3 s	1.6	0.6	0.6	0.3	0.1
	4 s	13.45	4.15	2.8	3.9	2.6
45 x 30 x 4	3 s	1.43	0.43	0.4	0.3	0.3
	4 s	93.5	26.15	34.95	19.05	13.35
	5	0.83	0.13	0.2	0.3	0.2
	5	5.9	1.7	1.5	1.4	1.3
60 x 40 x 5	3 s	5.4	1.9	1.5	0.5	1.5
	5	4 s)	307.93)	94.45)	79.58)	62.35)
	5	4 s)	30.0 )	6.0 )	9.0 )	7.5 )
	7	3 s	14.0	4.2	2.8	4.2
	7	4 s	154.4	36.7	43.6	53.1
80 x 40 x 6	4 s	235.40	72.8	48.2	67.8	46.6
	8	4 s	98.0	36.5	13.0	34.0
100 x 50 x 6	4 s	307.2	80.9	85.7	73.2	67.4
	8	4 s	659.3	171.5	168.9	147.3
130 x 65 x 8	4 s	14.0	3.0	4.0	3.0	4.0
100 x 65 x 7	3 s	1.1	0.6	0.5	-	-
100 x 65 x 7	4 s	147.4	41.3	34.0	39.0	33.1
	9	4 s	610.25	155.1	153.15	162.8

SECRET

25X1



SECRET

25X1

Round Steel (Rundstahl)		<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
32 mm.	MSt 3 b	2.86	0.79	0.93	0.84	0.3
	4 s	55.1	16.5	12.7	13.0	12.9
	5	17.85	6.25	2.2	6.25	3.15
	6	4.0	1.0	1.0	1.0	1.0
34 mm.	3 b	0.66	0.33	0.1	0.13	0.10
	4 s	0.5	0.2	0.1	0.1	0.1
35 mm.	3 b	4.55	1.0	1.35	1.2	1.0
	4 s	3.0	0.5	1.0	0.5	1.0
	4 s	28.2	8.4	6.1	6.8	6.9
	5	4.4	2.55	1.25	0.35	0.25
36 mm.	2 b	0.5	0.2	0.1	0.1	0.1
	3 b	2.77	0.64	0.79	0.74	0.6
	34,11	0.5	0.5	-	-	-
	4 s	47.8	11.35	13.2	13.1	10.15
	5	25.1	4.4	8.6	3.7	8.4
38 mm.	3 b	0.35	0.25	-	0.1	-
	4 s	19.4	5.65	4.2	4.85	4.7
40 mm.	2 b	0.4	0.1	0.1	0.1	0.1
	3 b	15.15	4.8	3.65	3.5	3.8
	4 s	105.58	26.95	26.53	24.55	27.55
	5	28.6	9.6	6.4	9.2	3.4
	6	13.0	2.2	4.3	1.3	5.2
	50 K	0.1	-	0.1	-	-
42 mm.	2 b	0.6	0.2	0.2	-	0.2
	3 b	1.95	0.53	0.43	0.53	0.46
	4 s	10.8	3.7	2.4	2.2	4.5
	5	8.6	2.5	1.9	2.0	2.2
45 mm.	2 b	0.4	0.2	-	0.2	-
	3 b	6.03	1.75	1.48	1.35	1.45
	34,11	0.5	0.5	-	-	-
	4 s	51.4	19.8	19.7	12.9	9.0
	5	9.33	1.45	3.58	0.95	3.35
46 mm.	3 b	0.1	0.1	-	-	-
48 mm.	2 b	0.3	0.1	0.2	-	-
	3 b	2.4	0.7	0.6	0.5	0.6
	4 s	28.0	7.9	6.6	6.7	6.8
	5	2.3	0.7	0.8	0.8	-
50 mm.	2 b	0.4	0.1	0.1	0.1	0.1
	3 b	15.45	4.61	3.52	3.61	3.71
	4 s	139.36	37.18	33.21	35.08	33.89
	5	70.95	17.8	18.85	17.7	16.6
	6	6.0	2.0	1.0	2.0	1.0
55 mm.	2 b	0.4	0.1	0.1	0.1	0.1
	3 b	6.7	2.5	1.6	1.5	1.1
	34,11	0.5	0.5	-	-	-
	4 s	55.23	14.24	15.13	10.13	15.73
	5 s	3.0	0.5	1.0	0.5	1.0
	5	5.7	2.0	1.5	0.9	1.3
	6	0.6	0.6	-	-	-
60 mm.	2 b	0.3	0.1	0.1	-	0.1
	3 b	8.88	2.25	2.43	2.05	2.15
	4 s	114.4 (sic)	1.0	1.5	1.0	1.5
	5	33.19	9.89	8.1	7.7	7.5
	6	14.9	6.0	1.6	5.7	1.6

SECRET

25X1

SECRET

25X1

Round Steel (Stabstahl), cont.		Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
65 mm.	MSt 2 b	0.5	0.1	0.2	0.1	0.1
	3 b	0.45	0.15	0.1	0.15	0.05
	4 s	69.23	23.44	14.33	17.43	14.03
	5	11.8	2.9	3.4	2.0	3.5
	6	0.3	0.2	0.1	-	-
70 mm.	2 b	0.5	0.2	0.1	0.2	-
	3 b	4.5	1.35	1.05	1.15	0.95
	4 s	135.56	34.99	36.27	36.6	27.7
	5	11.5	3.1	3.1	2.1	3.2
	6	4.2	1.1	1.1	1.0	1.0
72 mm.	7	0.1	0.05	-	0.05	-
	4 s	0.2	0.2	-	-	-
75 mm.	3 b	2.0	0.8	0.4	0.5	0.3
	4 s	47.79	13.49	12.6	12.6	9.1
80 mm.	5	10.0	3.0	2.2	2.3	2.5
	6	0.3	0.2	-	0.1	0
	2 b	0.7	0.1	0.2	0.2	0.2
	3 b	12.15	3.2	3.05	2.9	3.0
	3 1/2	0.5	0.5	-	-	-
	4 s	68.63	20.85	17.08	15.45	15.25
	5	36.0	10.1	8.0	9.8	8.1
85 mm.	6	14.6	5.5	2.1	5.0	2.0
	7	0.3	0.1	0.1	0.1	-
	3 b	3.63	1.15	0.88	0.85	0.75
	4 s	25.6	6.7	7.3	4.1	7.5
	5	12.2	3.7	2.5	3.0	3.0
90 mm.	6	0.6	0.2	0.2	0.1	0.1
	2 b	0.2	0.1	-	0.1	-
	3 b	4.78	1.68	1.0	1.2	0.9
	4 s	80.29	24.3	19.3	21.4	15.29
	5	12.5	-	5.3	2.2	5.0
95 mm.	6	0.1	-	0.1	-	-
	3 b	0.2	0.1	-	0.1	-
	4 s	23.0	6.5	5.3	5.5	5.7
	5	9.3	3.6	3.3	2.2	0.2
	6	0.1	-	0.1	-	-
100 mm.	7	1.13	0.25	0.38	0.25	0.25
	3 b	19.58	6.3	4.28	4.9	4.1
	4 s	53.63	15.93	11.4	16.1	20.2
	5	23.7	6.8	3.9	6.6	6.4
	6	4.2	1.1	1.1	1.0	1.0
105 mm.	3 b	0.9	0.4	0.2	0.2	0.1
	4 s	35.55	8.74	9.34	8.74	8.73
	5	4.8	0.7	1.4	1.5	1.2
	6	0.7	-	0.4	0.3	-
	7	0.1	-	0.1	-	-
110 mm.	3 b	0.8	0.8	-	-	-
	4 s	62.3	17.7	15.0	15.2	14.4
	5	4.0	2.0	-	2.0	-

## Square-bar steel (Vierkantstahl)

32 mm.	MSt 7	0.6	0.3	-	0.3	-
35 mm.	3 b	0.44	0.22	-	0.22	-
	4 s	10.3	3.6	2.3	2.1	2.3

SECRET

25X1

SECRET

25X1

## Square-Bar Steel (Vierkantstahl), cont.

		<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
35 mm.	MSt 6	0.2	0.1	-	0.1	-
	7	2.0	0.5	0.5	0.5	0.5
40 mm.	3 b	4.08	1.18	1.0	1.0	0.9
	4 s	18.05	3.03	6.0	3.02	6.0
	6	1.7	0.7	0.2	0.8	-
	7	2.0	0.5	0.5	0.5	0.5
45 mm.	3 b	0.54	0.02	0.2	0.22	0.1
	4 s	12.0	3.0	3.0	3.0	3.0
	6	0.4	0.3	0.1	-	-
50 mm.	3 b	0.3	0.2	0.1	-	-
	4 s	18.8	3.1	6.5	3.1	6.1
	5	0.63	0.15	0.18	0.15	0.15
	6	1.2	0.5	0.2	0.5	-
55 mm.	4 s	8.2	2.0	2.0	2.2	2.0
60 mm.	3 b	1.5	0.1	0.5	0.5	0.4
	4 s	26.05	5.95	8.2	3.95	7.95
	6	1.0	0.5	-	0.5	-
65 mm.	3 b	0.3	0.1	0.1	0.1	-
	4 s	0.5	0.5	-	-	-
70 mm.	4 s	16.3	4.2	4.0	4.0	4.1
75 mm.	4 s	10.7	2.8	2.6	2.7	2.6
80 mm.	3 b	1.5	-	0.6	0.6	0.3
	4 s	25.7	8.5	4.7	7.7	4.8
	5	0.3	-	0.2	0.1	-
90 mm.	4 s	62.1	15.6	18.5	18.5	9.5
	5	0.3	2	0.2	0.1	-

## Flat-Bar Steel (Flachstahl)

35 x 5	3 b	2.2	1.35	0.35	0.25	0.25
	4 s	12.44	1.63	7.76	1.29	1.76
35 x 6.5	3 b	0.4	0.2	-	0.2	-
	4 s	13.98	6.1	2.5	2.79	2.59
35 x 8	3 b	0.3	0.2	-	0.1	-
	4 s	13.37	3.18	5.06	3.06	2.07
35 x 10	3 b	0.04	0.04	-	-	-
	4 s	4.13	1.08	1.05	1.0	1.0
35 x 12	4 s	8.0	2.0	2.0	2.0	2.0
40 x 5	3 b	2.33	0.85	0.48	0.65	0.35
	4 s	64.38	16.32	17.02	13.82	17.22
40 x 6.5	3 b	43.83	13.70	10.63	10.1	9.4
	4 s	65.3	18.8	12.55	16.7	17.25
40 x 8	3 b	7.85	2.1	1.95	1.9	1.9
	4 s	31.15	5.6	10.05	8.8	6.7
40 x 10	3 b	6.0	1.6	1.5	1.4	1.5
	4 s	13.7	5.65	2.55	3.5	2.0
40 x 12	4 s	3.2	2.0	0.1	1.1	-
40 x 15	4 s	1.0	2	0.7	0.3	-
40 x 20	3 b	0.95	0.2	0.5	0.25	-
	4 s	10.4	4.2	1.1	3.1	2.0
45 x 5	3 b	1.48	0.52	0.22	0.52	0.22
	4 s	2.88	0.84	0.62	0.81	0.61
45 x 6.5	3 b	12.4	3.5	2.8	3.0	3.1

SECRET

25X1

SECRET

25X1

## Flat-Bar Steel (Flachstahl), cont.

		<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
45 x 6.5	MSt 4 s	11.33	4.75	1.7	2.6	2.3
45 x 8	3 b	27.0	7.8	6.0	6.5	5.7
	4 s	25.66	6.36	10.4	4.5	4.4
45 x 10	3 b	0.04	0.04	-	-	-
45 x 12	4 s	1.4	0.5	0.5	0.4	-
45 x 15	3 b	0.2	0.2	-	-	-
50 x 5	3 b	11.5	4.0	3.2	2.9	1.4
	4 s	67.38	15.77	17.77	16.57	17.27
50 x 6.5	3 b	30.2	7.7	8.8	6.9	6.8
	4 s	61.0	19.37	14.63	16.3	10.7
50 x 8	3 b	26.33	6.83	6.1	6.6	6.8
	4 s	82.6	22.7	22.9	20.5	16.5
50 x 10	3 b	20.7	6.1	5.4	5.1	4.1
	4 s	40.17	10.17	13.1	11.2	5.7
50 x 12	3 b	8.1	2.3	1.8	1.9	2.1
	4 s	9.55	4.3	3.1	1.15	1.0
50 x 15	3 b	9.98	2.38	3.0	2.5	2.1
	4 s	24.45	5.35	11.0	4.1	4.0
50 x 20	3 b	0.4	0.2	-	0.2	0
	4 s	36.9	11.3	10.5	7.1	8.0
50 x 25	4 s	7.0	1.0	3.0	2.0	1.0
	6	2.2	0.6	0.5	0.5	0.6
60 x 5	3 b	7.88	2.72	2.02	2.02	1.12
	4 s	25.95	3.25	9.1	5.6	8.0
60 x 6	4 s	5.5	1.0	1.5	1.5	1.5
60 x 6.5	3 b	3.95	0.9	1.35	0.9	0.8
	4 s	81.73	17.85	21.48	23.05	19.35
60 x 8	3 b	34.95	8.8	9.55	8.3	8.3
	4 s	206.33	60.1	52.03	46.9	47.3
60 x 10	3 b	38.45	11.75	9.0	9.6	8.1
	4 s	54.58	10.48	17.3	12.2	14.6
60 x 12	4 s	13.8	2.5	8.2	2.1	1.0
60 x 15	4 s	27.95	10.55	5.3	7.8	4.3
60 x 20	4 s	19.3	8.7	4.0	4.0	2.6
60 x 25	4 s	12.0	4.0	4.0	2.0	2.0
	5	0.2	-	0.1	0.1	-
60 x 30	3 b	2.33	0.7	1.0	0.5	0.13
	4 s	3.0	-	3.0	-	-
60 x 40	o	0.4	0.4	-	-	-
70 x 5	3 b	0.1	0.1	-	-	-
	4 s	10.5	5.0	2.1	1.7	1.7
70 x 6.5	3 b	2.4	0.7	0.9	0.5	0.3
	4 s	18.6	4.5	6.35	4.55	3.2
70 x 8	3 b	9.05	3.4	2.15	1.9	1.6
	4 s	21.95	8.95	5.5	4.55	2.95
70 x 10	3 b	5.3	1.8	1.2	1.1	1.2
	4 s	47.3	8.7	13.5	13.7	11.4
70 x 12	4 s	9.0	5.0	1.0	2.0	1.0
70 x 15	5 b	2.0	0.9	0.6	0.3	0.2
	4 s	6.55	2.2	1.1	1.25	2.0
70 x 20	3 b	6.7	2.1	1.4	1.6	1.6
	4 s	3.7	-	0.3	0.3	0.1
	5	0.1	-	0.1	-	-
80 x 5	4 s	3.5	0.6	1.0	1.5	0.4
80 x 6	4 s	3.0	0.5	1.0	0.5	1.0
80 x 6.5	3 b	3.13	0.75	0.88	0.75	0.75
	4 s	36.45	6.85	12.4	11.25	5.95

SECRET

25X1

SECRET

25X1

## Flat-Bar Steel (Flachstahl), cont.

		<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
80 x 8	MSt 3 b	0.8	0.2	0.2	0.2	0.2
	4 s	214.1	59.65	53.65	52.1	48.7
80 x 10	3 s	18.85	5.75	4.7	4.8	3.6
	4 s	173.93	47.6	43.65	44.9	37.78
80 x 12	4 s	41.8	12.8	10.0	10.0	9.0
80 x 15	4 s	15.93	4.22	6.37	3.12	2.22
80 x 20	3 s	2.6	0.5	1.1	1.0	-
	4 s	4.0	1.0	1.0	1.0	1.0
90 x 5	4 s	1.6	0.4	0.4	0.4	0.4
90 x 6.5	4 s	7.6	2.4	2.0	1.3	1.9
90 x 8	3 s	0.2	0.2	-	-	-
	4 s	23.6	5.4	6.3	5.0	6.9
90 x 10	3 s	6.95	1.0	2.5	2.0	1.45
	4 s	48.6	13.6	11.5	14.5	9.0
90 x 12	4 s	12.8	6.55	1.5	2.5	2.25
100 x 8	3 s	5.8	1.5	1.4	1.4	1.5
	4 s	213.88	71.4	39.28	41.6	61.6
100 x 10	3 s	3.75	0.75	1.5	1.0	0.5
	4 s	262.95	58.1	74.4	61.6	68.85
100 x 12	3 s	19.5	5.6	4.3	4.7	4.9
	4 s	114.7	23.2	34.4	32.2	24.9
100 x 15	3 s	2.38	0.5	0.88	0.5	0.5
	4 s	9.0	1.0	3.0	1.0	4.0
100 x 20	4 s	11.03	4.0	5.3	1.6	0.13
100 x 25	4 s	3.0	-	3.0	-	-
100 x 30	3 s	0.6	0.3	0.2	0.1	-
	4 s	3.67	3.67	-	-	-
100 x 40	3 s	0.4	0.1	0.10	0.1	0.1
	4 s	10.0	2.4	3.2	2.2	2.2
100 x 60	5	0.1	-	0.1	-	-
110 x 8	3 s	1.0	0.25	0.25	0.25	0.25
	4 s	47.28	1.1	21.38	23.9	0.9
110 x 10	4 s	37.0	5.5	12.5	5.5	13.5
110 x 12	4 s	45.0	-	20.0	-	25.0
110 x 20	4 s	3.3	1.3	0.7	0.7	0.6
110 x 25	3 s	1.1	0.4	0.3	0.2	0.2
	5	0.1	-	0.1	-	-
110 x 40	4 s	3.0	3.0	-	-	-
110 x 50	4 s	13.5	4.4	3.0	2.9	3.2
120 x 8	3 s	6.08	0.9	1.88	2.1	1.2
	4 s	96.9	25.3	23.0	23.3	25.3
120 x 10	3 s	0.75	-	0.75	-	-
	4 s	158.7	46.5	36.7	37.0	38.5
120 x 12	4 s	160.75	36.9	33.0	60.9	29.95
120 x 15	4 s	20.05	4.65	5.7	8.6	1.1
120 x 20	4 s	3.0	3.0	-	-	-
120 x 25	4 s	3.0	-	3.0	-	-
120 x 40	4 s	6.0	2.0	2.0	1.0	1.0
120 x 50	4 s	2.2	0.5	0.6	0.5	0.6
120 x 60	4 s	10.58	2.98	2.5	2.7	2.4
130 x 8	4 s	50.0	-	20.0	-	30.0
130 x 10	4 s	10.43	4.2	2.43	2.4	1.4
130 x 20	4 s	3.0	3.0	-	-	-
130 x 40	3 s	4.8	2.6	0.8	0.8	0.6
150 x 6	4 s	3.0	0.5	1.0	0.5	1.0
150 x 15	4 s	171.73	42.53	48.2	48.4	32.6
150 x 12	4 s	4.0	1.0	1.0	1.0	1.0

SECRET

25X1

SECRET

25X1

Profile Tool Steel (Formstahl)	Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
UNP 5 MSt 3 s	7.0	0.9	0.9	2.7	2.5
4 s	365.3	98.4	86.1	90.9	89.9
UNP 6.5 3 s	13.1	0.5	4.5	4.7	3.4
4 s	21.3	15.0	3.3	1.0	2.0

#### Hexagonal Steel (Sechskantstahl)

SW 36 4 s	2.0	1.0	-	1.0	-
SW 41 4 s	2.0	1.0	-	1.0	-
SW 50 4 s	2.0	1.0	-	1.0	-
SW 55 4 s	2.0	1.0	-	1.0	-

#### Total Requirements for East German Production of Unrefined Bar Steel

11,136.1	3,014.75	2,839.9	2,771.24	2,510.21
----------	----------	---------	----------	----------

#### Medium Sheet Steel (Mittelbleche)

##### Plan Pos. No. 13 14 220

3 x 1,000 x 2,500 St 3	13.0	3.0	3.0	4.0	3.0
1,000 x 2,000 MSt 3 s	175.0	45.0	60.0	20.0	50.0
4 s	506.0	385.0	62.0	31.0	28.0
1,000 x 2,500 4 s	305.0	65.0	90.0	85.0	65.0
1,000 x 3,000 3	14.0	3.0	4.0	3.0	4.0
1,250 x 3,000 3	16.0	3.0	5.0	4.0	4.0
4 x 1,000 x 2,000 3 b	80.0	27.0	17.0	19.0	17.0
2 b	70.0	26.0	14.0	14.0	16.0
4 s	13.0	13.0	-	-	-
1,000 x 2,300 3 b	30.0	8.0	8.0	7.0	7.0
1,000 x 2,500 4 s	183.0	40.0	63.0	40.0	40.0
1,250 x 2,500 3 s	90.0	30.0	30.0	-	30.0
1,000 x 2,000 3	15.0	3.0	5.0	3.0	4.0

#### Total Requirements for Medium Plate Steel from East German Production

1,530.0	655.0	367.0	235.0	273.0
---------	-------	-------	-------	-------

#### Thin-gauge Sheet (Feinbleche)

##### Plan Pos. No. 13 14 236

0.5 x 1,000 x 2,000 MSt 3 b	7.6	3.3	1.8	1.3	1.2
0.75 x 1,000 x 2,000 2 b	13.4	3.4	3.5	3.5	3.0
0.88 x 1,000 x 2,000 1 b	30.6	8.3	8.0	7.3	7.0
3 b	6.3	3.0	1.0	1.8	0.5

#### Total Requirements for Thin-Gauge Plate from East German Production

57.9	18.0	14.3	13.9	11.7
------	------	------	------	------

SECRET

25X1

SECRET

25X1

Thin-Gauge Sheet  
(Feinbleche)

Plan Pos. No. 13 14 235

	<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
1 x 1,000 x 2,000					
Mst 1 b	26.4	6.5	7.4	7.0	5.5
2 b	140.0	35.0	35.0	35.0	35.0
3 b	80.0	21.5	19.5	20.0	19.0
4	8.0	2.0	2.0	2.0	2.0
Mb 9	157.2	44.5	35.4	38.0	39.3
St. III.23	12.0	2.0	4.0	3.0	3.0
1.5 x 1,000 x 2,000					
St. III.23	286.0	70.0	74.0	75.0	67.0
St. III.23	22.0	4.0	7.0	5.0	6.0
Mst 1 b	35.0	9.2	8.4	9.2	8.2
3 b	63.8	18.6	21.3	14.7	9.2
2 b	106.0	27.0	27.0	27.0	25.0
Mb 9	55.6	15.9	12.4	13.4	13.9
2 x 1,000 x 2,000					
St I/23	20.0	5.0	5.0	5.0	5.0
St. III.23	334.0	89.0	111.0	89.0	45.0
Mst 1 b	38.1	9.1	10.7	9.1	9.2
2 b	80.0	20.0	20.0	20.0	20.0
800 x 2,000 3 b	10.0	4.0	2.0	2.0	2.0
1,000 x 2,000 3 b	293.0	86.7	75.6	68.6	62.1
4	47.7	11.4	14.5	12.3	9.5
Mb 9	90.4	25.9	20.1	21.8	22.6
2.5 x 1,000 x 2,000					
St. III/23	56.0	15.0	18.0	17.0	6.0
Mst 1 b	3.5	1.0	0.8	1.0	0.7
2 b	20.0	5.0	7.0	8.0	-
3 b	37.2	9.8	9.0	10.2	8.2
4 b	62.5	23.2	17.0	11.2	11.1
Mb 9	27.8	7.9	6.2	6.7	7.0

Total Requirements for 2,112.2 569.0 570.0 531.2 441.5  
Thin-Gauge Sheet from  
East German Production

Seamless Pipe  
(Nahtlose Rohre)

Plan Pos. No. 13 14 400

51 x 2.5	St 35.29	0.3	0.1	-	0.2	-
	St C 12	0.1	0.1	-	-	-
51 x 3	St 00.29	0.01	0.01	-	-	-
51 x 3.5	35.29	0.5	-	-	0.5	-
51 x 4	"	2.8	2.0	-	0.2	-
	St C 12	0.87	0.25	0.25	0.20	0.17
51 x 5	St 35.29	1.15	0.35	-	0.70	0.10
	St C 12	45.81	18.35	9.95	9.8	7.71
51 x 6	St 35.29	0.05	-	-	0.05	-
51 x 8	"	2.5	-	2.5	-	-
54 x 2	"	0.05	-	-	0.05	-
54 x 2.5	"	5.0	3.0	-	2.0	-
54 x 4	St 0029	0.112	0.112	-	-	-
	35.29	0.25	0.15	-	0.10	-
56 x 4	"	0.10	0.10	-	-	-
57 x 2.75	00.29	44.3	12.3	9.9	10.6	11.5

SECRET

25X1

NOFORN SECRET

25X1

Seamless Pipe (Nahtlose Rohre)	Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
57 x 2.75 35.29	83.15	21.0	25.-	19.65	17.5
ST C 12	135.9	44.9	36.5	27.2	27.3
57 x 3 St 35.29	26.2	5.1	6.0	8.1	7.0
St C 12	6.0	3.0	2.0	1.0	-
57 x 3.5 00.29	1.4	0.4	0.4	0.5	0.1
35.29	0.5	0.3	-	0.2	-
57 x 4 "	8.0	0.8	3.8	0.8	2.6
"	1.0	1.0	-	-	-
57 x 4.5 "	0.00	0.04	-	0.04	-
St C 12	14.0	6.6	6.1	1.1	1.1
57 x 5 35.29	2.75	1.0	0.8	0.25	0.7
57 x 6 St C 12	8.0	4.0	2.0	1.0	1.0
57 x 7 35.29	0.05	-	-	0.05	-
57 x 8 "	0.3	0.3	-	-	-
57 x 9 00.29	1.0	0.25	0.25	0.25	0.25
60 x 3 35.29	0.41	0.11	0.1	0.1	0.1
St C 12	0.9	0.35	0.25	0.15	0.15
60 x 4 00.29	2.26	0.36	0.7	0.6	0.6
35.29	37.2	8.3	8.8	10.1	10.0
60 x 6 St C 12	0.7	-	0.3	0.4	-
60 x 7 35.29	11.34	2.53	3.75	2.53	2.53
63.5 x 3 "	0.6	0.25	0.15	0.05	0.15
63.5 x 4 "	0.26	0.05	0.09	0.07	0.05
63.5 x 6 "	0.51	0.1	0.21	0.1	0.1
63.5 x 10 "	0.15	0.15	-	-	-
65 x 2.5 00.29	0.125	0.125	-	-	-
65 x 12.5 35.29	14.00	3.0	3.0	4.0	4.0
70 x 3 "	0.1	0.1	-	-	-
St C 12	0.2	-	0.2	-	-
70 x 4 00.29	8.6	2.1	2.3	2.2	2.0
35.29	1.7	0.5	0.5	0.6	0.1
70 x 4.5 "	0.12	0.06	-	0.06	-
70 x 5 "	2.16	0.54	0.54	0.54	0.54
70 x 6 St C 12	2.3	0.75	0.6	0.5	0.45
70 x 8 St C 12	4.0	1.0	1.0	1.0	1.0
76 x 3 00.29	33.0	9.3	7.5	8.0	8.2
35.29	50.2	14.6	9.9	14.4	11.3
"	3.0	1.0	1.0	1.0	-
C 12	89.3	29.8	27.8	18.9	12.8
76 x 3.5 35.29	0.1	-	-	0.1	-
76 x 4 00.29	0.12	0.06	-	0.06	-
35.29	52.4	9.0	10.0	19.4	14.0
C 12	6.08	2.08	2.0	2.0	-
76 x 4.5 35.29	3.0	2.0	1.0	-	-
76 x 5 St 35.29	5.08	2.85	0.88	0.5	0.85
00.29	21.0	6.0	4.9	5.1	5.0
76 x 6 "	1.1	0.3	0.3	0.2	0.3
35.29	1.43	0.5	0.33	0.3	0.3
76 x 6.5 45.24	0.108	0.108	-	-	-
76 x 8 35.29	0.68	0.08	0.2	0.2	0.2
80 x 4 "	0.016	0.016	-	-	-
83 x 3 "	2.0	1.0	-	1.0	-
83 x 3.25 "	2.86	0.56	0.8	0.7	0.8
83 x 3.5 "	2.85	1.0	0.85	0.25	0.75
83 x 4 "	3.1	0.8	0.8	0.8	0.7
C 12	3.0	1.0	1.0	1.0	-
83 x 4.5 00.29	0.4	-	0.2	0.2	-
35.29	9.8	4.8	1.5	0.6	0.9
C 12	2.7	0.8	0.6	0.6	0.7
83 x 6 35.29	0.5	0.3	-	0.2	-
83 x 7 "	0.15	0.15	-	-	-



SECRET

25X1

Seamless Pipe (Nahtlose Rohre)		Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
83 x 8	35.29	4.8	1.3	1.3	1.2	1.0
	C 12	28.0	8.3	6.0	7.0	6.7
89 x 3.25	00.29	7.82	2.02	1.8	2.0	2.0
	35.29	40.82	8.9	10.62	9.7	11.6
	C 12	56.2	19.6	18.6	8.9	9.1
89 x 4	00.29	4.08	1.08	1.0	1.0	1.0
	35.29	24.75	6.3	6.2	6.0	6.25
89 x 4.5	00.29	2.06	1.03	-	1.03	-
	35.29	1.0	-	1.0	-	-
	C 12	32.0	10.0	10.0	6.0	6.0
89 x 5	00.29	1.25	0.3	0.35	0.3	0.3
	C 12	46.0	7.8	8.0	19.0	12.0
89 x 6	35.29	4.0	1.0	-	3.9	0
	C 12	0.3	0.2	0.1	-	-
89 x 8	35.29	1.05	0.2	0.12	0.3	0.2
89 x 9	00.29	0.5	0.2	0.2	0.1	-
	35.29	0.1	-	-	0.1	-
89 x 10	"	3.0	3.0	-	-	-
89 x 14	"	3.0	3.0	-	-	-
90 x 3	"	0.4	0.1	0.1	0.1	0.1
95 x 3.5	"	0.5	0.1	0.2	0.1	0.1
	C 12	0.1	0.1	-	-	-
95 x 4	00.29	0.4	-	-	0.4	-
	C 12	0.47	0.1	0.1	0.17	0.1
95 x 5	"	0.1	0.1	-	-	-
95 x 6	35.29	2.1	0.5	0.6	0.5	0.5
102 x 3.5	00.29	0.2	0.1	0.1	-	-
	35.29	2.2	0.5	0.6	0.6	0.5
102 x 4	00.29	0.6	0.4	-	-	0.2
	35.29	0.2	0.2	-	-	-
102 x 6	00.29	0.1	-	-	0.1	-
	C 12	0.4	0.2	0.1	0.1	-
	45.29	0.92	0.3	0.3	0.26	0.06
102 x 10	35.29	0.1	-	-	0.1	-
108 x 3.5	"	4.0	1.5	1.0	1.5	-
108 x 3.75	00.29	27.1	7.6	6.5	6.6	6.4
	35.29	40.5	8.8	9.6	11.1	11.0
	35	2.0	1.0	1.0	-	-
108 x 4	00.29	2.85	0.7	0.65	0.9	0.6
	35.29	61.6	12.7	12.5	21.3	15.1
108 x 4.5	00.29	2.3	0.5	0.5	0.6	0.7
	35.29	1.6	0.5	0.5	0.6	-
108 x 5	"	17.15	5.15	3.0	6.0	3.0
108 x 6	"	7.3	0.9	3.6	0.3	2.5
	00.29	2.1	0.1	1.0	0.5	0.5
108 x 8	35.29	1.03	0.2	0.28	0.35	0.2
108 x 10	"	2.3	0.8	0.7	0.2	0.6
108 x 12	"	4.0	3.0	-	1.0	-
133 x 4 St 35		2.0	1.0	1.0	-	-
Total Requirements for East German Production of Seamless Pipe		1,219.5	353.58	307.75	302.26	255.91

SECRET

25X1

SECRET

25X1

1956 Requirements for Imports of Metallurgical Products

<u>Corrugated Sheet Metal</u> <u>(Riffelbleche)</u>	<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
5 x 1,100 x 5,000	677	151	170	180	176
6 x 1,100 x 5,000	94	64	-	26	4
<u>Ship Plate (Schiffbleche)</u>					
<u>Plan Pos. No. 13 14 213</u>					
5 x 1,000 x 5,000	84	19	17	34	14
5,600	40	20	-	20	-
1,200 x 6,000	43	15	-	28	-
1,250 x 5,000	120	9	44	35	32
6,000	246	48	50	79	68
7,000	338	85	85	86	78
7,500	28	14	-	7	7
1,500 x 5,000	136	9	58	36	33
1,500 x 6,000	2,898	787	721	676	714
7,000	220	44	53	48	75
1,600 x 6,000	393	88	126	95	84
7,000	753	258	168	169	158
7,500	120	45	31	17	27
8,000	156	48	40	19	49
1,700 x 7,000	14	3	4	3	4
1,800 x 6,000	52	-	23	-	29
8,000	110	34	23	34	19
	5,750	1,526	1,447	1,386	1,391
6 x 1,000 x 6,000	193	58	43	46	46
1,250 x 5,000	102	-	48	27	27
6,000	229	44	65	60	60
7,000	141	29	41	34	37
b 1,300 x 6,000	229	92	39	43	55
7,000	70	41	5	10	14
8,000	117	46	25	25	21
1,400 x 6,000	277	81	59	75	62
1,500 x 5,000	197	41	72	45	39
6,000	1,535	513	354	320	348
6,500	134	29	40	34	31
7,000	796	294	149	199	154
8,000	520	111	190	111	108
1,600 x 5,000	147	30	57	30	30
6,000	376	81	130	80	85
7,000	145	13	-	71	61
8,000	20	-	20	-	-
1,700 x 7,600	36	26	-	10	-
8,000	16	3	5	4	4
1,800 x 5,000	77	20	19	19	19
6,000	197	42	58	41	56
7,000	182	39	19	85	39
7,500	1,404	373	340	364	325
8,000	597	167	129	137	164
2,000 x 8,000	33	22	-	7	4
	7,770	2,197	1,907	1,877	1,789
6.5 x 1,200 x 6,000					
M ST 4 S	154	38	40	38	38

SECRET

25X1

- 18 -

SECRET

25X1

Ship Plate (Schiffsbleche), cont.		Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
7	x 1,000 x 6,000	560	160	124	155	121
	8,000	35	7	9	9	10
	1,200 x 7,600	97	37	17	23	20
	8,000	80	20	20	20	20
	1,250 x 6,000	520	148	138	111	123
	6,500	33	12	8	7	6
	7,000	94	-	34	30	30
	1,300 x 6,000	51	24	13	-	14
	7,000	60	-	26	-	34
	1,400 x 5,000	21	21	-	-	-
	7,000	355	96	96	96	67
	7,100	37	32	-	15	-
	1,500 x 6,000	2,042	553	520	495	474
	6,500	194	38	57	48	51
	7,000	1,161	356	261	276	268
	8,000	746	204	171	182	189
	1,600 x 7,000	142	60	13	25	44
	1,700 x 8,000	15	3	4	4	4
	1,800 x 5,000	79	20	19	20	20
	6,000	154	39	43	27	45
	6,500	173	43	43	43	44
	7,000	258	100	41	59	58
	8,000	1,435	383	360	317	375
	2,000 x 6,000	10	10	-	-	-
	7,000	490	168	149	45	188
		8,852	2,534	2,166	2,007	2,145
8	x 1,000 x 6,000	210	60	46	53	51
	1,200 x 5,000	64	30	8	12	14
	1,250 x 6,000	209	70	46	65	28
	6,500	862	307	172	211	172
	1,300 x 6,000	99	19	26	26	28
	7,000	95	39	10	27	19
	1,400 x 6,000	360	208	25	79	48
	1,500 x 8,000	3,144	1,010	835	682	617
	1,700 x 7,000 4 L	28	28	-	-	-
	1,750 x 6,000 4 s	65	13	18	17	17
	1,800 x 6,500	160	76	18	28	38
	8,000	547	176	88	152	131
	2,000 x 7,000	2,379	706	558	510	605
	8,000	188	68	30	54	36
		8,410	2,810	1,880	1,916	1,804
9	x 1,000 x 6,000	880	348	177	201	154
	1,100 x 6,000	644	186	144	155	159
	6,600	26	13	-	13	-
	1,250 x 6,900	264	76	43	77	68
	6,000	10	5	-	5	-
	1,500 x 8,000	250	49	43	75	83
	1,600 x 7,000	106	20	-	43	43
	1,600 x 7,000 4 L	29	29	-	-	-
	1,700 x 7,000					
	M St 4 s	78	-	23	24	31
	7,500	192	75	40	40	37
	1,800 x 6,500	181	39	47	48	47
	7,000	83	-	44	19	20

SECRET

25X1

SECRET

25X1

Ship Plate (Schiffsbleche), cont.	<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
9 x 1,800 x 8,000					
M St 4 s	250	77	57	57	59
2,000 x 6,000	56	20	21	-	15
7,000	450	115	100	116	119
8,000	597	221	94	165	117
	4,096	1,273	833	1,038	952
10 x 1,000 x 6,000	88	33	12	25	18
1,100 x 8,000	90	-	26	28	36
1,250 x 7,000	30	15	-	15	-
1,500 x 8,000	358	127	44	112	75
9,000	480	192	96	96	96
1,600 x 7,000 4 L	131	71	20	20	20
7,000 4 s	58	21	-	18	19
1,750 x 6,500	44	9	13	11	11
1,800 x 6,000	179	77	20	38	44
6,500	106	68	4	34	-
6,800	199	56	44	48	51
7,500	115	37	20	20	38
8,000	58	19	-	20	19
2,000 x 6,000	432	149	77	97	109
6,500	326	134	57	57	78
7,000	311	78	57	84	92
8,000	1,086	440	172	268	206
	4,091	1,526	662	991	912
11 x 1,300 x 7,000	81	-	27	27	27
1,500 x 7,000	20	-	-	20	-
7,500 4 L	44	22	22	-	-
8,000	110	20	20	35	35
1,600 x 8,000	180	40	40	53	47
1,800 x 6,000	256	79	48	63	66
7,000	278	90	36	72	80
8,000	247	43	68	75	61
8,000 4 L	32	322	-	-	-
2,000 x 6,000 4 s	249	47	48	80	74
7,000	165	46	23	57	39
7,000 4 L	40	20	20	-	-
7,500 4 s	336	134	39	86	77
8,000	470	129	86	149	106
	2,508	702	477	717	612
12 x 1,000 x 5,000	48	14	14	10	10
6,000	160	57	28	44	31
1,250 x 6,000	35	18	-	17	-
1,500 x 7,000	1,520	410	341	385	384
8,000	390	91	84	101	114
1,600 x 7,000	327	127	52	77	71
1,800 x 6,500	212	40	52	52	68
7,000	320	136	42	77	65
7,000 4 L	192	96	20	38	38
8,000 4 s	603	235	90	140	138
2,000 x 7,000	250	87	39	62	62
7,500	157	35	44	44	34
8,000	600	270	82	139	110

SECRET

25X1

SECRET

25X1

Ship Plate (Schiffableche), cont.	<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
12 x 2,000 x 8,000 4 L	184	77	30	38	39
	4,998	1,693	918	1,223	1,164
13 x 1,000 x 6,000 4 s	106	39	19	29	19
1,250 x 6,000	20	10	-	10	-
1,400 x 6,000	290	115	62	62	51
6,100	123	55	20	28	20
1,500 x 5,000	44	14	10	10	10
7,000	391	120	55	107	109
7,500	48	18	10	10	10
1,600 x 6,000	77	28	20	19	10
6,100	200	39	42	62	57
7,000	167	55	55	-	57
1,800 x 5,000	58	14	14	15	15
6,000	111	27	27	28	29
6,400	330	224	-	106	-
6,500	432	-	124	134	174
7,000	350	109	25	109	107
7,500	10	-	-	5	5
2,000 x 6,500	145	34	22	31	58
7,000	869	250	138	250	231
7,000 St 4 1	26	26	-	-	-
8,000 St 4 s	300	91	56	67	86
2,050 x 6,000	230	135	55	20	20
	4,327	1,403	754	1,102	1,068
14 x 1,200 x 6,000	56	-	20	-	36
1,400 x 6,000	73	-	22	23	28
6,500	252	84	40	72	56
7,000	86	-	25	27	34
1,500 x 6,000	10	2	3	2	3
7,000 St 4 1	280	60	60	80	80
1,600 x 7,000 St 4 s	139	-	41	43	55
2,000 x 7,000	165	43	122	150	150
7,000 St 4 1	40	20	20	-	-
8,000	225	71	43	66	45
	1,626	280	396	463	487
15 x 1,400 x 6,000	438	139	90	110	99
1,500 x 7,000	649	173	114	176	186
1,600 x 6,000	130	-	38	40	52
7,000 St 4 1	40	20	20	-	-
1,800 x 6,000 St 4 s	113	34	21	29	29
6,500	346	135	48	77	86
7,000	195	39	40	58	58
7,000 St 4 1	136	68	68	-	-
8,000 St 4 s	40	20	-	20	-
2,000 x 7,000 St 4 1	108	54	54	-	-
7,000 St 4 s	800	203	143	221	233
8,000	557	134	132	140	151
	3,552	1,019	768	871	894
16 x 1,200 x 4,000					
M St 4 s	236	68	44	63	61
1,600 x 6,700	88	52	4	18	14
7,000	110	39	-	34	37

SECRET

25X1

SECRET

25X1

Ship Plate (Schiffsbleche), cont.	Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
16 x 1,600 x 7,000					
M St 4 L	60	30	30	-	-
1,800 x 8,000 St 4 s	166	27	46	46	47
2,000 x 7,000	912	260	172	230	241
7,000 St 4 L	80	40	40	-	-
8,000 St 4 s	579	165	92	169	153
	2,231	690	428	560	553
17 x 1,500 x 7,000	103	34	22	25	22
1,800 x 7,000	84	28	-	28	28
2,000 x 7,000	136	48	20	34	34
7,000 St 4 L	40	20	20	-	-
7,500 St 4 s	108	38	20	25	25
	471	168	82	112	109
18 x 1,000 x 7,000	139	-	41	43	55
1,200 x 4,000	28	10	-	18	-
1,250 x 6,500	10	2	3	2	3
1,400 x 4,200	32	-	13	-	19
1,500 x 8,000	178	-	54	58	66
1,600 x 7,000	106	29	18	28	31
7,000 St 4 L	20	20	-	-	-
7,700 St 4 s	51	38	-	13	-
1,800 x 6,000	57	14	14	14	15
7,000	238	80	39	58	61
7,500	84	42	-	21	21
8,000	77	19	19	19	20
2,000 x 7,500	306	105	58	65	78
8,000	537	221	23	158	135
8,000 St 4 L	350	110	40	90	110
	2,213	690	322	587	614
19 x 1,800 x 7,000	115	28	28	29	30
2,000 x 7,000 4 L	40	20	20	-	-
7,500 4 s	217	67	40	52	58
	372	115	88	81	88
20 x 1,000 x 6,000	135	59	21	36	19
1,250 x 6,000	24	5	7	6	6
7,000	30	10	10	-	10
1,400 x 4,200	13	13	-	-	-
1,500 x 6,000	90	24	21	24	21
7,000	429	96	82	115	136
8,000	63	25	-	15	23
1,600 x 7,000	260	74	57	62	67
1,800 x 6,000	92	23	23	23	23
7,000	670	67	201	200	202
7,500	77	38	-	19	20
8,000	77	20	20	20	17
2,000 x 6,000	55	20	12	12	11
7,000	1,246	278	269	344	355
7,500	77	20	20	20	17
8,000	460	205	52	90	113
8,000 4 L	352	146	40	106	60
	4,150	1,123	835	1,092	1,100

SECRET

25X1

SECRET

25X1

Ship Plate (Schiffsbliche), cont.	Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
21 x 1,500 x 7,000 M St 4 s	12	4		4	4
7,000 4 L	20	20	-	-	-
1,800 x 7,000 4 s	458	125	86	122	125
7,000 4 L	42	21	21	-	-
8,000	106	38	20	24	24
2,000 x 7,000	40	20	-	20	-
7,000 4 L	76	38	38	-	-
8,000 4 s	48	-	20	-	28
	802	266	185	170	181
22 x 1,250 x 5,000	6	1	2	1	2
7,000	33	8	9	8	8
1,500 x 8,000	12	4	-	4	4
1,800 x 7,000	377	121	63	103	90
7,000 4 L	9	6	-	3	-
8,000 4 s	60	17	14	14	15
2,000 x 7,000	25	25	-	-	-
8,000	35	17	-	18	-
	557	199	88	151	119
23 x 1,800 x 8,000	115	29	29	29	28
2,000 x 7,000	77	20	20	20	17
8,000	157	48	27	43	39
8,000 4 L	140	40	40	40	20
	489	137	116	132	104
24 x 1,500 x 8,000 4 s	30	-	10	10	10
1,800 x 7,000	134	20	38	38	38
8,000	132	70	-	32	30
	296	90	48	80	78
25 x 1,000 x 5,000	20	4	6	5	5
1,200 x 6,000	69	17	17	17	18
1,800 x 6,000	50	20	-	15	15
7,000 4 L	344	70	84	90	100
8,000 4 s	130	55	7	34	34
2,000 x 7,000	94	31	15	24	24
8,000 4 L	304	100	34	60	110
	1,011	297	163	245	306
26 x 2,000 x 7,000 4 s	192	96	20	38	38
28 x 1,200 x 6,000	68	12	17	19	20
1,500 x 8,000	62	26	-	18	18
	130	38	17	37	38
30 x 1,500 x 6,000 4 L	83	40	8	15	20
35 x 1,500 x 8,000 4 s	69	20	7	21	21
50 x 1,500 x 6,000	82	24	20	20	18
7,500	30	30	-	-	-
1,800 x 4,000 4 L	40	20	-	20	-
2,000 x 4,000 4 s	52	13	12	13	14
	204	87	32	53	32

SECRET

25X1

SECRET

25X1

Ship Plate (Schiffbleche), cont.					
	<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
60 x 1,500 x 6,000	40	20	-	20	-
80 x 1,200 x 5,000	43	-	21	-	22
100 x 1,500 x 5,000	30	15	-	15	-
1,200 x 5,000	22	22	-	-	-
	52	37	-	15	-

**Broad Flat-Bar Steel**  
(Breitflachstahl)

200 x 12		60	15	15	15	15
16	4 L	60	15	15	15	15
250 x 12	4 s	60	15	15	15	15
300 x 12	4 L	60	15	15	15	15
		240	60	60	60	60

**Total Requirements for**  
**Imports of Ship Plate**

70,550    21,389    14,938    17,304    16,919

**Medium Sheet (Mittelbleche)**  
**Plan Pos. No. 13 14 220**

3 x 1,000 x 4,000 M St 4 s	178	44	44	44	46
4,200	20	5	5	5	5
1,200 x 3,000	136	52	26	34	24
1,500 x 4,000 3 s	260	80	60	60	60
4,000 4 s	105	24	34	20	27
4,500	499	156	110	117	116
5,000	338	68	72	103	95
6,000	163	40	39	38	46
1,100 x 5,000	60	12	18	15	15
1,600 x 5,000	55	11	16	13	15
3.5 x 1,500 x 6,000 4 s	33	12	8	8	5

**Warrenblech (nodular sheet)**

3 x 1,000 x 3,000	7	2	2	2	1
-------------------	---	---	---	---	---

**Corrugated Sheet Metal**  
(Riffelblech)

3 x 1,100 x 5,000 3 s	2	2	-	-	-
4 x 1,100 x 5,000	220.4	72.1	48.1	60.1	40.1

**Medium Sheet (Mittelblech)**

4 x 1,000 x 3,000 4 s	159	79	26	34	20
4,000	131	33	33	33	32
5,000	99	24	21	34	20
6,000	52	26	-	26	-

SECRET

25X1



SECRET

25X1

Medium Sheet (Mittelblech), cont.	<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
4 x 1,200 x 5,000	235	85	50	64	36
1,400 x 4,000	103	39	20	24	20
1,500 x 4,000	230	62	52	52	64
4,500	576	164	129	139	144
1,500 x 5,000	375	99	102	75	99
6,000 3 s	120	40	40	20	20
6,000 4 s	1,760	572	459	399	330
7,000	40	20	-	20	-
8,000	20	-	20	-	-
1,600 x 5,000	45	25	-	20	-
7,000	150	38	42	35	35
1,800 x 7,500	24	6	9	7	2
1,100 x 7,000	130	26	39	32	33
1,250 x 7,000	154	31	46	37	40
	6,479	1,949	1,570	1,570	1,390

Bar Steel  
(Feiner Stabstahl)  
Plan Pos. No. 13 14 151

Round Steel (Rundstahl)

5 m/m Ø M St 3 b	0.09	0.03	0.03	0.03	-
6 m/m 2 b	0.2	0.1	0.1	-	-
6 m/m 3 b	0.83	0.33	0.20	0.10	0.20
6 m/m 4 s	0.4	0.2	0.1	0.1	-
7 m/m 4 s	0.1	0.1	-	-	-
8 m/m 4 s	1.0	1.0	-	-	-
18 m/m Ø St.6.35.61	8.0	2.0	2.0	2.0	2.0
22 m/m	8.0	2.0	2.0	2.0	2.0
26 m/m	8.0	2.0	2.0	2.0	2.0
10 m/m 4 s	2.0	1.0	1.0	-	-
12 m/m 4 s	3.0	1.0	1.0	1.0	-
14 m/m 4 s	1.0	1.0	-	-	-

Four-Sided Steel  
(Vierkantstahl)

13 m/m O/ M St 4 s	2.0	0.5	0.5	0.5	0.5
13 m/m 5 s	0.02	0.02	-	-	-
16 m/m 3 s	1.27	0.54	0.33	0.30	0.10
16 m/m 4 s	3.85	1.65	0.40	1.40	0.40

Flat-Bar Steel  
(Flachstahl)

16 x 8 48 s 7	0.48	0.12	0.12	0.12	0.12
---------------	------	------	------	------	------

Angle Steel (Winkelstahl)

15 x 15 x 3 3 s	0.04	0.01	0.01	0.01	0.01
20 x 20 x 3	20.17	6.55	5.32	4.15	4.15
20 x 20 x 3 4 s	4.51	1.61	1.01	1.01	0.88
20 x 20 x 3 4 s	2.0	1.0	-	1.0	-
20 x 20 x 4 3 s	8.0	2.0	2.0	2.0	2.0

SECRET

25X1

SECRET

25X1

Angle Steel (Winkelstahl), cont		Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
25 x 25 x 4	4 s	2.0 (sic)	2.0 -	-	2.0	-
30 x 30 x 4	4s	3.0	1.0	1.0	1.0	-
30 x 30 x 3	4 s	0.1	0.1	-	-	-
Total Requirements for Imports of Refined Bar Steel		80.6	26.86	19.12	19.72	14.36

Thin-Gauge Sheet (Feinbleche)  
Plan Pos. No. 13 14 235

1 x 1,000 x 2,000 St.I/23	80.0	20.0	20.0	20.0	20.0
1 x 1,000 x 2,000 St.III/23	731.0	198.0	238.0	197.0	98.0
1 x 1,000 x 2,000 St.III/23	13.0	3.0	4.0	3.0	3.0
1.25 x 1,000 x 2,000 St.III/23	92.0	20.0	20.0	24.0	28.0
1.25 x 1,000 x 2,000 MSt. 3 b	1.0	0.5	0.5	-	-
1.5 x 1,000 x 2,000 St.III/23	23.0	5.0	6.0	6.0	6.0
2 x 1,000 x 2,000 St.III/23	40.0	8.0	12.0	10.0	10.0
2.5 x 1,000 x 2,000 St.III/23	15.0	3.0	4.0	4.0	4.0

Total Requirements for Imports of Thin-Gauge Plate	982.0	254.5	300.5	261.0	166.0
--	-------	-------	-------	-------	-------

Seamless Pipe  
(Nahtlose Rohre)  
Plan Pos. No. 13 14 400

6 x 1	00.29	0.2	-	0.2	-	-
6 x 1	35.29	0.01	0.01	-	-	-
6 x 1.5	"	0.01	0.01	-	-	-
6 x 2	"	0.25	0.25	-	-	-
8 x 1	00.29	0.01	0.01	-	-	-
8 x 1.5	35.29	1.0	0.7	0.15	0.05	0.01
9 x 1	"	0.03	-	-	0.03	-
10 x 1.5	"	6.8	2.4	1.5	1.4	1.5
10 x 1.5	00.29	0.25	0.25	-	-	-
10 x 2	"	0.3	0.2	-	0.1	-
10 x 2	35.29	1.6	0.55	0.3	0.35	0.40
12 x 1.5	"	6.1	2.0	1.4	1.3	1.4
12 x 2	"	1.5	0.26	0.25	0.75	0.25
12 x 2.5	"	0.03	0.03	-	-	-
14 x 1.5	"	0.2	0.1	-	0.1	-
14 x 2	"	22.65	7.25	5.05	7.05	3.3
14 x 2	00.29	21.3	5.8	5.0	5.2	5.3
14 x 2.5	35.29	0.3	0.3	-	-	-
16 x 2	"	16.15	4.45	2.9	5.8	3.0
16 x 2	00.29	2.4	0.8	0.5	0.5	0.6
16 x 3	35.29	0.13	0.03	0.04	0.03	0.03
18 x 2	"	13.4	6.1	1.8	3.8	1.7
18 x 2	00.29	0.3	0.2	-	0.1	-
18 x 2.5	35.29	2.0	1.0	0.5	0.5	-
18 x 3	"	1.12	0.62	-	0.5	-
20 x 2	"	59.6	16.9	16.0	12.9	13.8
20 x 2	00.29	14.1	4.1	2.4	3.8	3.8
20 x 2.5	"	0.05	0.05	-	-	-
20 x 3	"	0.02	0.01	-	0.01	-

SECRET

25X1

SECRET

25X1

## Seamless Pipe, cont.

		<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
20 x 3	35.29	0.6	0.15	0.15	0.15	0.15
20 x 5	"	0.06	0.06	-	-	-
22 x 2	"	8.6	4.1	1.0	2.5	1.0
22 x 3	00.29	0.05	0.03	-	0.02	-
22 x 4	35.29	0.45	0.15	0.15	0.15	-
24 x 2	00.29	4.85	1.15	1.25	1.25	1.1
24 x 2	35.29	8.15	1.5	2.65	1.5	2.5
24 x 2.5	"	0.12	-	-	-	-
25 x 2	00.29	10.8	3.1	2.4	2.6	2.7
25 x 2	35.29	45.62	11.93	11.98	11.08	10.63
25 x 2.5	00.29	2.6	0.6	0.7	0.6	0.7
25 x 2.5	35.29	28.41	8.64	6.49	5.29	7.99
25 x 3	00.29	0.2	0.1	-	0.1	-
25 x 3	35.29	5.5	1.7	1.3	1.3	1.2
25 x 4	"	0.38	0.13	0.14	0.08	0.03
26 x 3	"	1.13	0.25	0.38	0.25	0.25
28 x 2	"	19.5	6.5	6.3	4.3	2.4
28 x 2.5	"	8.0	2.6	1.2	4.1	0.1
30 x 2	00.29	0.1	0.1	-	-	-
30 x 2.5	00.29	46.4	13.0	10.6	11.2	11.6
30 x 2.5	35.29	88.0	27.1	24.5	16.4	20.0
30 x 3	"	7.35	1.9	1.1	3.95	0.4
30 x 3.5	"	6.0	2.0	2.0	1.0	1.0
30 x 4	"	0.13	0.1	-	0.03	-
32 x 2.5	00.29	3.0	0.7	0.7	0.8	0.8
32 x 2.5	35.25	4.5	3.0	-	1.5	-
32 x 2.5	35.29	4.8	1.5	1.1	1.2	1.0
32 x 3	"	0.8	0.2	0.2	0.2	0.2
32 x 3.5	"	3.0	0.5	2.0	0.2	0.3
32 x 5	35.29	0.2	0.1	-	0.1	-
35 x 2.5	35.25	6.0	-	3.0	-	3.0
35 x 2.5	35.29	19.5	5.3	5.4	3.9	4.9
35 x 3	"	2.2	0.55	0.55	0.55	0.55
35 x 3.5	"	0.02	0.02	-	-	-
35 x 4	00.29	0.1	0.1	-	-	-
35 x 4	35.29	8.55	2.25	4.15	1.0	1.15
35 x 4.5	35.29	5.0	1.2	1.2	1.3	1.3
35 x 10	"	0.1	0.1	-	-	-
38 x 2.5	00.29	17.6	5.9	4.0	4.2	4.4
38 x 2.5	35.29	133.0	43.5	35.5	41.0	35.0
38 x 3	00.29	1.6	0.5	0.4	0.4	0.3
38 x 3	35.29	23.5	7.0	5.5	6.5	4.5
38 x 3.5	"	11.0	3.8	2.8	2.8	1.6
38 x 4	"	5.4	1.0	2.0	1.5	0.9
38 x 4.5	"	0.05	-	-	0.05	-
38 x 5	00.29	0.1	0.1	-	-	-
38 x 5	35.29	7.5	0.5	2.8	1.8	2.4
38 x 6	"	0.2	0.2	-	-	-
40 x 4.5	00.29	0.16	0.16	-	-	-
41 x 2.5	"	1.8	0.6	0.4	0.4	0.4
42 x 3	35.29	0.8	0.2	0.2	0.2	0.2
42 x 8	"	1.6	0.6	0.5	-	0.5
44 x 4	"	0.1	0.1	-	-	-
44.5 x 2.5	00.29	9.9	2.3	3.1	2.2	2.3
44.5 x 2.5	35.29	95.8	26.0	22.3	24.9	22.6
44.5 x 3	"	16.1	5.6	2.5	5.0	3.0
44.5 x 3.5	"	0.4	0.4	-	-	-
44.5 x 4	00.29	0.1	0.1	-	-	-
44.5 x 4	35.29	18.4	6.7	7.7	4.0	-

SECRET

25X1

SECRET

25X1

## Seamless Pipe, cont.

		<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
44.5 x 4.5	35.29	0.55	0.35	0.2	-	-
44.5 x 5	"	0.4	0.1	0.1	0.1	0.1
44.5 x 6	"	0.13	0.13	-	-	-
44.5 x 7	"	0.18	0.18	-	-	-
45 x 3.5	00.29	1.1	0.3	0.3	0.2	0.3
48.25 x 3.5	35.29	11.5	4.0	3.5	1.0	3.0
89 x 3.25	"	3.0	1.0	1.0	1.0	-
108 x 3.75	"	95.3	28.6	23.9	29.2	18.6
108 x 4	"	33.0	10.0	10.0	10.0	3.0
108 x 5	"	13.8	5.2	2.8	2.9	2.9
108 x 6	"	2.0	0.5	0.5	0.5	0.5
108 x 8	"	40.0	13.0	13.0	8.0	6.0
108 x 9	"	1.8	0.5	0.4	0.5	0.4
108 x 12	"	0.5	-	0.5	-	-
121 x 4	"	3.0	1.0	1.0	1.0	-
121 x 5	"	1.0	1.0	-	-	-
121 x 5.5	"	0.9	0.2	0.3	0.2	0.2
121 x 7	"	1.5	0.3	0.4	0.4	0.4
121 x 7.5	"	11.0	4.0	3.0	4.0	-
121 x 8	"	1.0	1.0	-	-	-
121 x 9	"	0.15	-	-	0.15	-
121 x 10	"	0.15	-	-	0.15	-
121 x 15	"	0.25	0.15	-	-	0.1
127 x 4	"	0.9	0.3	0.3	0.1	0.2
133 x 4	00.29	14.2	3.7	3.5	3.6	3.4
133 x 4	35.29	60.0	18.0	12.0	15.0	15.0
133 x 5	00.29	2.5	2.5	-	-	-
133 x 5	35.29	50.0	13.0	14.0	14.0	9.0
133 x 6	"	18.0	5.0	3.8	4.9	4.3
133 x 6.5	"	3.0	3.0	-	-	-
133 x 7	"	3.9	3.3	0.4	-	0.2
133 x 8	"	5.1	1.0	1.0	3.1	-
133 x 9	"	0.6	-	-	0.6	-
133 x 12	00.29	0.1	-	0.1	-	-
133 x 14	35.29	4.0	1.0	-	3.0	-
146 x 4.5	35.29	4.5	1.5	-	3.0	-
146 x 10	"	1.0	0.3	0.2	0.3	0.2
152 x 4.5	"	1.1	0.3	0.3	0.3	0.2
152 x 6	"	2.3	0.5	0.8	0.5	0.5
152 x 9	"	0.5	-	-	0.5	-
159 x 4.5	00.29	5.7	1.5	1.3	2.4	1.5
159 x 4.5	35.29	83.9	26.4	19.5	19.0	19.0
159 x 5	"	117.0	30.0	31.0	30.0	26.0
159 x 5.5	"	3.4	-	1.7	1.7	-
159 x 6	45.29	0.9	0.3	0.2	0.2	0.2
159 x 6	35.29	34.0	10.6	8.5	5.9	9.0
159 x 7	"	20.2	7.0	5.0	5.2	3.0
159 x 8	"	3.5	3.5	-	-	-
159 x 10	00.29	0.6	-	0.3	0.3	-
159 x 10	35.29	0.2	-	-	0.2	-
171 x 4.5	"	5.0	5.0	-	-	-
171 x 10	"	0.1	-	-	0.1	-
191 x 5.25	"	52.2	14.3	12.7	14.7	11.1
191 x 7	35.29	1.0	1.0	-	-	-
191 x 8	"	4.0	1.3	0.9	9.9 (sic)	-
191 x 10	"	1.0	1.0	-	-	-
191 x 12	"	0.6	-	-	0.6	-
197 x 7	"	8.0	3.6	0.5	3.5	0.4

SECRET//NOFORN

25X1

SECRET

25X1

## Seamless Pipe, cont.

		<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
216 x 6	00.29	3.4	1.2	0.8	0.9	0.5
216 x 6	35.29	73.6	19.0	19.6	19.5	15.5
216 x 7	"	24.0	6.0	7.0	6.0	5.0
216 x 22	"	8.3	2.0	2.3	2.0	2.0
219 x 8	"	12.0	3.0	3.0	3.0	3.0
220 x 8	"	0.3	0.3	-	-	-
225 x 10	"	2.0	1.0	1.0	-	-
241 x 6.25	"	9.4	2.7	3.7	3.0	-
241 x 10	00.29	3.0	1.0	0.7	0.7	0.6
241 x 10	35.29	0.3	-	0.3	-	-
267 x 6.5	00.29	1.3	0	0.7	0.6	-
267 x 6.5	35.29	18.7	6.0	5.0	2.7	5.0
267 x 8	"	16.6	7.6	3.5	2.5	3.0
267 x 10	"	5.4	2.0	1.0	1.4	1.0
267 x 14	00.29	4.0	2.0	1.0	1.0	-
273 x 9	35.29	2.0	2.0	-	-	-
273 x 11	35.29	2.0	2.0	-	-	-
318 x 7.5	"	4.8	1.0	1.0	1.8	1.0
318 x 8	"	5.0	2.0	1.0	1.0	1.0
318 x 12	"	0.3	-	-	0.3	-
343 x 10	"	19.5	1.0	2.0	1.5	1.0
368 x 8	"	10.6	3.8	2.0	3.8	1.0
1 Zoll	00.29	2.6	0.9	0.7	0.7	0.3
3/8 Zoll	"	2.1	0.8	0.6	0.7	-
3/8 Zoll	35.29	3.0	0.7	0.9	0.7	0.7
1 Zoll	00.29	22.7	5.8	5.6	5.6	5.7
1 Zoll	35.29	4.3	1.5	1.2	0.6	1.0
3/4 Zoll	00.29	37.3	10.2	9.8	8.7	8.6
3/4 Zoll	35.29	11.9	4.0	3.9	1.5	2.5
1 Zoll	00.29	50.3	15.2	13.4	11.5	10.2
1 Zoll	35.29	19.0	5.9	6.2	2.5	4.4
1 1/4 Zoll	00.29	20.6	7.3	5.2	5.0	3.1
1 1/4 Zoll	35.29	5.2	1.3	1.3	1.3	1.3
1 1/4 Zoll	00.29	37.0	11.2	9.3	8.3	8.2
1 1/4 Zoll	35.29	1.6	0.4	0.4	0.4	0.4
2 Zoll	00.29	54.4	12.6	12.6	14.6	14.6
2 Zoll	35.29	61.2	19.1	19.9	7.1	15.1
2 1/2 Zoll	00.29	27.4	8.4	8.0	6.0	5.0
2 1/2 Zoll	35.29	11.6	4.1	3.5	1.0	3.0
3 Zoll	00.29	14.0	2.5	3.5	3.5	4.5
3 Zoll	35.29	2.5	0.9	0.8	0.2	0.6
4 Zoll	00.29	14.0	2.5	2.5	6.5	2.5
4 Zoll	35.29	4.6	1.6	1.4	0.4	1.2
5 Zoll	00.29	5.0	3.0	1.0	1.0	-
6 Zoll	00.29	6.0	3.0	3.0	-	-
Total Requirements for Imports of Seamless Pipe		\$205.71	666.78	556.48	531.12	451.33

Unrefined Bar Steel  
(Grober Stabstahl)  
Plan Pos. No. 13 14 152

Equal-sided Angle Steel  
(Gleichschenkelwinkelstahl)

SECRET

25X1

SECRET

25X1

Equal-Sided Angle Steel (Gleichschenkelwinkelstahl)		Total	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
35 x 35 x 6	M St 4 s	1.0	0.25	0.25	0.25	0.25
40 x 40 x 4		4.0	1.0	2.0	1.0	-
40 x 40 x 6	3 s	0.2	0.2	-	-	-
40 x 40 x 6	4 s	27.03	10.9	9.23	3.20	3.70
40 x 40 x 5		4.0	1.0	2.0	1.0	-
45 x 45 x 8		1.0	0.25	0.25	0.25	0.25
45 x 45 x 5		7.0	2.0	2.0	2.0	1.0
50 x 50 x 7	3 s	18.93	4.0	6.53	4.40	4.0
50 x 50 x 7	4 s	25.10	11.3	5.9	5.6	2.3
50 x 50 x 5		8.0	2.0	2.0	2.0	2.0
55 x 55 x 8		9.0	5.0	2.0	1.0	1.0
75 x 75 x 8		80.6	24.5	16.3	23.5	16.3
75 x 75 x 10		11.0	3.3	2.2	3.3	2.2
75 x 75 x 12		17.0	9.0	3.0	4.0	1.0
80 x 80 x 10		35.0	5.0	12.0	10.0	8.0
140 x 140 x 13		18.0	6.0	-	6.0	6.0
150 x 150 x 20		60.0	20.0	20.0	20.0	-
160 x 160 x 15		6.0	2.0	1.0	2.0	1.0

Non-Equal-Sided Angle Steel  
(Ungleichschenkelwinkelstahl)

40 x 20 x 3	M St 4 s	0.03	0.03	-	-	-
60 x 30 x 7		0.6	0.2	0.1	0.2	0.1
60 x 40 x 5		30.0	6.0	9.0	7.0	8.0
60 x 40 x 6	3 s	3.0	1.0	1.0	0.5	0.5
60 x 40 x 6	4 s	4.0	1.0	1.0	1.0	1.0
75 x 50 x 5		90.0	20.0	20.0	25.0	25.0
75 x 50 x 6	3 s	70.7	20.3	15.7	17.0	17.7
75 x 50 x 6	4 s	208.4	51.5	63.6	42.4	50.9
75 x 50 x 8		33.4	11.4	7.4	7.7	6.9
75 x 55 x 9	3 s	0.1	0.1	-	-	-
80 x 35 x 8	4 s	673.7	185.7	161.9	160.65	165.45
80 x 60 x 6		40.0	20.0	-	-	20.0
80 x 65 x 8	3 s	1.25	0.25	0.50	0.25	0.25
80 x 65 x 9	4 s	32.1	10.9	7.5	7.5	6.2
90 x 60 x 6		59.5	20.5	16.5	7.5	15.0
90 x 60 x 8		26.0	13.0	-	3.0	10.0
100 x 65 x 8		1.13	0.25	0.38	0.25	0.25
100 x 65 x 10		7.1	1.4	1.9	1.9	1.9
100 x 75 x 8		346.4	42.4	125.1	105.2	73.7
100 x 75 x 10		89.4)	30.1)	19.7)	21.5)	18.1)
100 x 75 x 10		30.0)	6.0)	9.0)	7.0)	8.0)
115 x 65 x 8		19.0	4.-	5.-	6.-	4.-
120 x 80 x 8		43.2	12.4	9.6	10.4	10.8
120 x 80 x 12		6.0	1.0	2.0	1.5	1.5
130 x 65 x 8		332.9	98.6	81.3	83.7	69.3
130 x 65 x 9		9.25	2.-	3.25	2.-	2.-
130 x 65 x 10		714.75	162.35	172.40	218.60	161.40
130 x 75 x 10		69.63	25.-	16.13	17.50	11.-
130 x 90 x 8		9.-	3.-	3.-	3.-	-
130 x 90 x 10		145.8	50.4	23.5	45.5	26.4
150 x 75 x 9	3 s	1.13	0.25	0.38	0.25	0.25
150 x 75 x 9	4 s	28.1	9.2	6.7	5.7	6.5
150 x 75 x 10		57.4	32.3	11.8	11.8	1.5

SECRET

25X1

SECRET

25X1

## Non-Equal-Sided Angle Steel, cont.

	<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
11	20.-	7.-	5.5	6.5	1.-
13	16.5	11.9	1.6	1.6	1.4
150 x 100 x 10 M St 4 s	43.9	16.4	6.-	16.-	5.5
x12 M St 3 s	5.-	1.-	2.-	1.-	1.-
x 12 M St 4 s	9.-	2.2	4.3	1.4	1.1
200 x 100 x 10 M St 4 s	2.7	0.8	0.6	0.7	0.6
200 x 150 x 18 M St 4 s	140.-	40.-	40.-	40.-	20.-

Bulb Angle Steel  
(Winkelwulststah)

150 x 75 x 8 M St 4 s	20.-	-	-	20.-	-
180 x 75 x 9 M St 4 s	20.-	--	-	20.-	-
180 x 90 x 11 M St 4 s	90.-	30.-	30.-	30.-	-
200 x 90 x 12 M St 4 s	40.-	-	-	40.-	-

## Flat Bulb

## (Flachwulst) No 6

M St 4 s	77.-	48.-	7.-	18.-	4.-
No 8M St 4 s	85.-	39.-	12.-	24.-	10.-
No 10 M St 4 s	87.-	49.-	9.-	23.-	6.-
No 12 M St 4 s	134.-	59.-	19.-	36.-	20.-
No 14a M St 4 s	156.6	37.4	37.7	39.3	42.2
No 14a M St 4 l	40.-	20.-	-	-	20.-
No 14b M St 4 s	188.-	42.-	55.-	59.-	32.-
No 14b M St 4 l	20.-	20.-	-	-	-
No 16a M St 4 s	595.4	274.-	82.2	129.3	109.3
No 16a M St 4 l	20.-	20.-	-	-	-
No 16b M St 4 s	643.-	195.-	123.-	160.-	165.-
No 16b M St 4 l	20.-	20.-	-	-	-
No 18a M St 4 s	293.-	67.-	79.-	80.-	67.-
No 18b M St 4 s	553.-	205.-	103.-	140.-	105.-
No 20a M St 4 s	139.-	60.-	17.-	44.-	18.-
No 20b M St 4 s	201.-	87.-	39.-	50.-	25.-
No 20b M St 4 l	80.-	20.-	20.-	20.-	20.-
No 22a M St 4 s	150.-	-	40.-	40.-	70.-
No 22b M St 4 s	60.-	16.-	10.-	16.-	18.-
No 24 aM St 4 s	151.-	38.-	37.-	35.-	40.-
No 24a M St 4 l	160.-	40.-	40.-	40.-	40.-
No 24b M St 4 s	163.-	92.-	16.-	39.-	16.-
No 24b M St 4 l	60.-	20.-	20.-	20.-	-
180 x 80 x 9 M St 4 s	2.5	2.5	-	-	-

## T-Section DIN 1024

## (T-Profil DIN 1024)

T 8 M St 4 s	32.-	11.-	7.-	8.-	6.-
U Iron NP 4 M St 3 s	0.6	0.2	0.2	0.2	-

## (U EISEN NP 4)

## Half-round Steel

## (Halbrundst.)

40 x 15 M St 3 s	0.7	0.2	0.2	0.2	0.1
50 x 25 M St 4 s	15.24	15.1	0.14	-	-
50 x 25 M St 4 s	6.5	1.5	2.0	1.0	2.0
60 x 30 M St 3 s	6.9	2.1	1.7	1.6	1.5
60 x 30 M St 4 s	352.-	103.-	78.-	85.-	86.-
75 x 37.5 M St 4 s	51.-	14.6	11.4	12.3	12.7

SECRET

25X1

SECRET

25X1

## T-Section DIN 1024, cont.

	<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
<b>Four-sided Steel</b> <b>(Vierkt.-Stahl)</b>					
100 x 100 M St 4 s	17.4	4.4	4.3	4.4	4.3
100 x 100 M St 5	0.9	-	0.5	0.4	-
110 x 110 M St 4 s	8.-	2.-	2.-	2.-	2.-
110 x 110 M St 5	0.3	-	0.2	0.1	-
120 x 120 M St 3 s	1.5	0.3	0.4	0.4	0.4
120 x 120 M St 4 s	16.-	4.-	4.-	4.-	4.-
130 x 130 M	8.-	2.-	2.-	2.-	2.-
150 x 150 "	15.-	5.-	3.-	4.-	3.-

**Hexagonal Steel**  
**(Sechskantstahl)**

32 SW	M St 3 s	0.2			0.1	0.1
" "	" 4 s	3.1	1.2	0.7	0.7	0.5
" "	" 5 s	0.6	0.15	0.15	0.15	0.15
36 "	3 s	0.13	0.13			
" "	4 s	2.-	0.5	0.5	0.5	0.5
" "	5 s	0.8	0.2	0.2	0.2	0.2
38 "	4 s	0.1			0.1	
40 "	3 s	2.5	1.-	0.5	0.5	0.5
41 "	3 s	1.81	0.56	0.45	0.40	0.40
41 "	4 s	2.-	0.3	0.5	0.5	0.5
43 "	" 4 s	0.3		0.3		
45 "	3 s	0.8	0.1	0.2	0.3	0.2
46 "	3 s	0.6	0.3	0.2	0.1	
46 "	4 s	2.3	0.7	0.5	0.6	0.5
48 "	" 4 s	1.4	0.75		0.65	
50 "	" 3 s	0.33	0.33			
50 "	4 s	2.-	0.5	0.5	0.5	0.5
55 "	4 s	2.2	0.6	0.5	0.6	0.5
60 "	3 s	3.3	1.02	0.78	0.80	0.70
60 "	4 s	2.-	0.5	0.5	0.5	0.5
65 "	4 s	2.-	0.5	0.5	0.5	0.5
70 "	4 s	3.-	1.-	0.5	1.-	0.5
75 "	4 s	3.-	1.-	0.5	1.-	0.5
80 "	4 s	3.-	1.-	0.5	1.-	0.5
85 "	4 s	3.-	1.-	0.5	1.-	0.5
90 "	4 s	3.-	1.-	0.5	1.-	0.5
95 "	4 s	3.-	1.-	0.5	1.-	0.5
100 SW	4 s	3.-	1.-	0.5	1.-	0.5

**Round Steel**  
**(Rundstahl)**

33 mm	M St 4 s	0.1		0.1		
115 mm	3 s	0.5			0.5	
115 mm	4 s	0.4	0.1	0.1	0.1	0.1
120 mm	4 s	49.1	11.-	15.-	8.8	14.3

SECRET

25X1

- 32 -



SECRET

25X1

- 31 -

## Round Steel, cont.

			<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
120 mm	5 s		18.3	6.-	3.-	6.3	3.-
120 mm	6 s		3.8	0.9	1.-	0.9	1.-
130 mm	3 s		1.1	1.1			
130 mm	4 s		47.6	16.5	9.2	12.1	9.8
130 mm	5 s		8.-	2.-	2.-	2.-	2.-
130 mm	M St	34.11	1.-	1.-			
140 mm	"	3 s	0.63	0.15	0.18	0.15	0.15
140 mm	"	4 s	53.-	12.9	15.-	10.4	14.7
140 mm	"	5 s	19.-	6.-	5.-	3.-	5.-
140 mm	"	6 s	1.1	0.3	0.2	0.3	0.3
150 mm	"	4 s	33.4	12.7	6.8	6.2	7.7
150 mm	"	3 s	10.-	2.-	3.-	2.-	3.-
160 mm	"	4 s	26.-	7.1	7.9	4.-	7.-
160 mm	M St	4 s	3.-	0.5	1.-	0.5	1.-
160 mm	"	5 s	13.5	4.1	3.1	3.1	3.2
160 mm	"	6 s	0.9	0.2	0.2	0.2	0.3
170 mm	"	3 s	1.7	0.7	0.2	0.7	0.1
170 mm	"	4 s	13.1	6.7	0.1	5.1	1.2
180 mm	"	4 s	13.6	6.3	0.8	5.7	0.8
180 mm	"	5 s	17.9	4.2	5.2	3.2	5.3
190 mm	"	4 s	10.1	3.7	2.3	2.8	1.3
190 mm	"	5 s	1.4	0.3	0.4	0.3	0.4
195 mm	"	4 s	3.-	0.5	1.-	0.5	1.-
200 mm	"	34.11	1.-	1.-			
200 mm	"	4 s	23.5	12.5	3.-	6.-	2.-
200 mm	"	5 s	13.-	4.-	3.-	3.-	3.-
200 mm	"	6 s	0.8	0.2	0.2	0.2	0.2
210 mm	"	4 s	0.5	0.5			
220 mm	"	4 s	4.-	0.5	2.-	0.5	1.-
240 mm	"	4 s	0.5	0.5			
280 mm	"	4 s	1.-		1.-		
300 mm	"	4 s	1.-	1.-			
330 mm	"	4 s	20.-	6.-	4.-	6.-	4.-

Flat Steel  
(Flachstahl)

35 x 20	"	4 s	0.2	0.1		0.1	
35 x 25	"	4 s	3.8	1.1	0.8	0.9	1.0
40 x 25	"	3 s	0.8	0.3	0.3	0.2	
40 x 25	"	4 s	3.-	2.-		1.-	
40 x 25	"	5 s	0.4	0.1	0.1	0.1	0.1
40 x 30	"	4 s	3.-		3.-		
45 x 25	"	3 s	0.3		0.1	0.2	
45 x 25	"	4 s	3.-	2.-		1.-	
45 x 25	"	6 s	1.1	0.7	0.2	0.1	0.1
50 x 9	"	3 s	1.5	0.3	0.5	0.4	0.3
50 x 30	"	3 s	1.0		0.4	0.4	0.2
50 x 30	"	4 s	3.-		3.-		
50 x 30	"	5 s	0.5		0.3	0.2	
55 x 8	"	4 s	30.2	8.7	6.7	7.3	7.5
55 x 10	"	3 s	0.63		0.33	0.3	
55 x 12	"	3 s	0.75		0.75		

SECRET

25X1

## Flat Steel, cont.

			<u>Total</u>	<u>First Quarter</u>	<u>Second Quarter</u>	<u>Third Quarter</u>	<u>Fourth Quarter</u>
55 x 25	M St	4 s	34.0	10.0	9.0	9.0	6.0
65 x 8	"	3 s	1.5	0.3	0.6	0.3	0.3
65 x 10	"	3 s	0.75	0.2	0.3	0.15	0.1
70 x 7	"	3 s	1.2	0.3	0.3	0.3	0.3
70 x 22	"	3 s	0.2	0.2			
70 x 25	"	3 s	0.7		0.3	0.2	0.2
70 x 25	"	4 s	7.-	1.0	4.-	1.0	1.0
70 x 30	"	3 s	0.3		0.2	0.1	
70 x 30	"	4 s	0.9	0.2	0.2	0.2	0.3
70 x 40	"	4 s	3.3		3.2	0.1	
70 x 50	"	4 s	1.85	0.25	0.9	0.7	
75 x 10	"	4 s	0.65	0.03	0.2	0.2	0.2
80 x 12	"	4 L	20.0	20.0			
80 x 25	"	4 s	0.3		0.2	0.1	
80 x 30	"	4 s	5.1	2.2	1.2	0.9	0.8
80 x 40	"	4 s	3.4	3.4			
80 x 50	"	3 s	0.8	0.3	0.2	0.2	0.1
80 x 50	"	4 s	3.2	0.2	3.-		
90 x 6	"	4 s	0.88	0.22	0.22	0.22	0.22
90 x 40	"	3 s	0.5	0.5			
100 x 5	"	3 s	3.5	0.8	1.1	0.8	0.8
100 x 5	"	4 s	5.-	2.-		3.-	
100 x 6	"	3 s	2.75	0.5	1.05	0.6	0.6
100 x 6	"	4 s	4.25	1.0	1.25	1.0	1.0
100 x 6.5	"	3 s	0.2	0.2			
100 x 6.5	"	4 s	39.6	7.15	14.05	4.85	13.55
110 x 6.5	"	4 s	0.35	0.35			
120 x 5	"	4 s	10.0		5.-		5.-
140 x 6	"	4 s	3.-		3.-		
140 x 8	"	3 s	0.1	0.1			
140 x 8	"	4 s	20.0	5.-	5.-	5.-	5.-
140 x 10	"	4 s	11.0	4.-	2.-	3.0	2.-
140 x 12	"	4 L	20.0	20.0			
150 x 5	"	4 s	3.-	3.-			
150 x 6	"	4 s	3.-		3.-		
150 x 8	"	4 s	3.-	3.-			
150 x 10	"	4 s	88.3	26.2	21.2	20.7	20.2
150 x 12	"	4 s	51.0	11.8	14.0	10.5	14.7
150 x 15	"	4 L	26.0	20.0			
150 x 20	"	4 s	57.2	0.8	18.8	18.8	18.8
150 x 25	"	4 s	3.0	3.0			
150 x 30	"	4 s	0.3	0.2		0.1	
150 x 40	"	4 s	3.-	3.-			
150 x 50	"	4 s	0.5	0.2	0.1	0.1	0.1

Total Requirements for  
Imports of Unrefined Bar  
Steel

9995.71 3012.42 2091.45 2430.97 1358.37

SECRET

- 37 -

~~SECRET~~

25X1

Thin-Gauge Sheet  
(Feinstbleche)

		<u>Total</u>	<u>First</u> <u>Quarter</u>	<u>Second</u> <u>Quarter</u>	<u>Third</u> <u>Quarter</u>	<u>Fourth</u> <u>Quarter</u>
0.5 x 1000 x 2000 St III/23	82.6	21.2	20.7	19.8	20.9	
0.5 x 1000 x 2000 "	2.-	1.-	1.-			
0.75 x 1000 x 2000 St I/23	101.5	25.-	25.5	25.-	26.-	
0.75 x 1000 x 2000 " III/23	55.-	15.-	15.-	15.-	10.-	
0.75 x 1000 x 2000 M St 3 b	45.4	15.2	9.9	10.5	9.8	
0.75 x 1000 x 2000 St III 23	3.-	1.-	1.-	1.-		
0.88 x 1000 x 2000 St I/23	65.8	16.-	17.8	16.-	16.-	
0.88 x 1000 x 2000 St III/23	80.-	20.-	20.-	20.-	20.-	
<b>Total Requirements for</b>	<b>435.3</b>	<b>114.40</b>	<b>110.9</b>	<b>107.3</b>	<b>102.7</b>	
<b>Imports of Thin-Gauge Sheet</b>						

~~SECRET~~

25X1